zehnder

always the
best climate

Zehnder Kazeane

Prices and Technology 2018 – Sales International

ALWAYS THE BEST CLIMATE

"We strive to improve the quality of life by providing the finest indoor climate solutions."

Excellent team
Every day we combine passion, expert knowledge and commitment to give you the best results.

Great solutions, products and services
Great products and unique service for an energy-efficient, healthy and comfortable indoor climate.

First choice for customers
Always close to the needs of our customers, to grow with you and overcome all challenges together.

WE ARE THE SPECIALISTS FOR A HEALTHY, COMFORTABLE AND ENERGY-EFFICIENT INDOOR CLIMATE

The broad and clearly structured portfolio from the Zehnder Group is split into four product lines. Consequently, we can provide our customers with the right product, perfect system and matching service for all types of projects – from new build to renovations, single or multi-occupancy homes, as well as commercial projects. This variety ensures that our wealth of experience is continuously expanding, providing tangible added value to our customers on a daily basis.

Decorative radiators
Our individual decorative radiators for living and bathrooms make a home not only warmer but also more attractive. Created by renowned designers, they impress with excellent functionality.

Comfortable indoor ventilation
Our comfortable indoor ventilation is energy-efficient and provides a healthy indoor climate. It promotes the wellbeing of the occupants and increases the value of the property.

Heating and cooling ceiling systems
Zehnder ceiling systems are convenient and energy-efficient for heating and cooling. They are perfectly attuned to the relevant environment.

Clean air solutions
Clean air systems from Zehnder reduce the level of dust in the air, create a healthier working environment and reduce the amount of cleaning required.

OUR BRANDS EMBRACE INNOVATION, QUALITY AND DESIGN

The Zehnder brand offers excellent indoor climate solutions within the product lines of decorative radiators, comfortable indoor ventilation, heating and cooling ceiling systems and clean air solutions.

The Runtal brand develops and manufactures exclusive radiators combining innovative technologies with unique designs.

Zehnder Kazeane

Radiator colour: Black Matt

Radiator colour: Flame Red, Chrome

Operation on central heating system

Zehnder Kazeane decorative radiator made from vertically arranged D-profile tubes rounded at the outside, 30 x 40 mm, plus offset and diagonally arranged flat tubes, 70 x 8 mm, which wrap around the bathroom radiator like a steel band. The resulting generous cut-outs on two levels create space for hanging several towels. Additionally, one or two horizontal flat tubes, depending on height. D-profile tubes arranged at the top and side, plus square tube, 30 x 30 mm, at bottom create a functional mounting plate.

Thermal output to EN 442, with CE marking. With 4 connections at bottom, 2 x central ½" for flow/return, spacing 50 mm and 2 x ½", outside left and right, with directional air vent.

Radiator with powder coating, in colour RAL 9016 as standard, in special colour or chrome-plated. Delivered ready to install with matching wall brackets and packaging.

Electric operation

Zehnder Kazeane decorative radiator, electric-only, made from vertically arranged D-profile tubes rounded at the outside, 30 x 40 mm, plus offset and diagonally arranged flat tubes, 70 x 8 mm, which wrap around the bathroom radiator like a steel band. The resulting generous cut-outs on two levels create space for hanging several towels. Also features one horizontal flat tube. D-profile tubes arranged at the top and side, plus square tube, 30 x 30 mm, at bottom create a functional mounting plate.

With integrated electric heating element RACY-C, degree of protection IP44 (splash-proof), for mains power supply of 230 V. With connection cable 1,2 m in length with two pin plug. Installation at bottom left. Decorative radiator filled with heat transfer fluid. Separate, battery-operated remote control device model 2 for controlling the room temperature. Radiator with powder coating, in colour RAL 9016 as standard, in special colour or chrome-plated. Delivered ready to install with matching wall brackets and packaging.

Operating pressure	max. 4,0 bar
Operating temperature hot water central heating	max. 110 °C
Height	.... mm
Length	.... mm
Model	....

|	
Output	.... Watt
Height	.... mm
Length	.... mm
Model	....

Advantages

- Individuality through exceptional design
- Many different heights at which to hang a towel
- The arrangement of the flat tubes on two levels makes it easier to hang multiple towels – ideal for families
- Inconspicuous brackets concealed behind header tube
- Ample spaces between tubes make cleaning easy

Special benefits for electric operation with RACY-C

- Remote control device can be positioned as required
- Regulated room temperature
- Comfortable operation as needed by customisable daily and weekly programmes
- Energy-efficient and comfortable heating via innovative open window detection
- Low energy consumption in stand-by mode (≤ 0,5 W)
- Keylock can be activated as required
- Timer function for up to 2 hours
- Ready-to-plug

Zehnder Kazeane

**Overview of models
Length 500**

**Overview of models
Length 600**

Connection to hot water central heating system

Painted version

Model	H	L	Thermal output				Exp.	Electric heating element classification	V	M	Price RAL 9016	Price① Cat. 1
	mm	mm	EN 442② W	70/55/24 W	55/45/24 W	55/45/20 W	n	W	dm³	kg	€	€
RB-100-050	965	500	398	284	175	210	1,24	300	3,4	8,4	436,00	545,00
RB-130-050	1266	500	509	364	224	268	1,24	300	4,1	10,7	485,00	606,00
RB-160-050	1567	500	621	445	275	329	1,23	600	4,8	13,1	564,00	705,00
RB-180-050	1823	500	723	515	316	379	1,25	600	5,7	15,1	634,00	793,00
RB-100-060	1017	600	473	337	206	248	1,25	300	3,8	9,9	450,00	563,00
RB-130-060	1340	600	608	435	267	320	1,24	600	4,6	12,6	501,00	626,00
RB-170-060	1661	600	743	531	327	391	1,24	600	5,4	15,4	591,00	739,00
RB-190-060	1930	600	847	604	370	444	1,25	600	6,5	18,0	650,00	813,00

① For special colours in categories 1 and 2, see special solutions and colour chart
② Thermal output to EN 442, ∆T 50 K (75/65/20 °C)

Zehnder Kazeane

Connection to hot water central heating system

Chrome-plated version

Model	H	L	Thermal output				Exp.	Electric heating element classification	V	M	Price Chrome
			EN 442②	70/55/24	55/45/24	55/45/20					
	mm	mm	W	W	W	W	n	W	dm³	kg	€
RBC-100-050	965	500	261	187	114	137	1,27	-	3,4	8,5	**915,00**
RBC-130-050	1266	500	327	235	142	171	1,27	300	4,1	10,8	**1.018,00**
RBC-160-050	1567	500	393	282	171	205	1,28	300	4,8	13,1	**1.186,00**
RBC-180-050	1823	500	461	330	199	240	1,28	300	5,7	15,4	**1.343,00**
RBC-100-060	1017	600	304	218	132	158	1,28	300	3,8	10	**944,00**
RBC-130-060	1340	600	386	277	168	201	1,27	300	4,6	12,7	**1.090,00**
RBC-170-060	1661	600	468	336	204	245	1,27	300	5,4	15,4	**1.238,00**
RBC-190-060	1930	600	544	390	236	283	1,28	300	6,5	17,9	**1.385,00**

Electric-only operation

Painted version

Model	H③	L	Electric heating element classification	Price RAL 9016	Price① Cat. 1
	mm	mm	W	€	€
RB-130-050/GD	1291	500	500	**868,00**	**1.085,00**
RB-160-050/GD	1592	500	600	**993,00**	**1.241,00**
RB-130-060/GD	1365	600	600	**988,00**	**1.235,00**
RB-170-060/GD	1686	600	750	**1.122,00**	**1.403,00**

Chrome-plated version

Model	H③	L	Electric heating element classification	Price Chrome
	mm	mm	W	€
RBC-130-050/GD	1291	500	300	**1.412,00**
RBC-160-050/GD	1592	500	300	**1.616,00**
RBC-130-060/GD	1365	600	300	**1.639,00**
RBC-170-060/GD	1686	600	500	**1.921,00**

Standard scope of delivery for operation on central heating system

- Powder coating to DIN 55900, RAL 9016
- 4 x ½" connections for flow, return
- ½" directional air vent
- Mounting accessories in colour of radiator
- Packaging

Standard scope of delivery for electric operation

- Powder coating to DIN 55900, RAL 9016
- Filled with heat transfer fluid
- With integrated electric heating element RACY-C, bottom left
- Electric heating element cover in colour of radiator
- Control panel in white; with chrome-plated cover in the case of chrome-plated radiators
- Mounting accessories in colour of radiator
- Packaging

Special solution on request (surcharge)	Article no.	Price €
■ Special finish to category 2 (surcharge on cat. 1)	M100011640	**100,60**
■ Special finish in Technoline (surcharge on cat. 1)	See colour chart	**100,60**
■ Surface in metal look: stainless-steel look, surcharge on cat. 1 (reduced output approx. 8 %)	M100012332	**150,91**
■ DBM 300 W electric heating element, white	857461	**278,29**
■ DBM 300 W electric heating element, chrome	857468	**326,85**
■ DBM 600 W electric heating element, white	857481	**296,98**
■ DBM 600 W electric heating element, chrome	857488	**345,53**
■ Towel hook, for attaching, set of 2, chrome	480438	**39,10**
■ Zehnder thermostat SH, M 30 x 1,5, white	819080	**26,10**
■ Zehnder thermostat SH, M 30 x 1,5, chrome	819088	**36,65**
■ Zehnder comfort fittings (series XE) in white, chrome and stainless steel	-	**see price list**

① For special colours in categories 1 and 2, see special solutions and colour chart
② Thermal output to EN 442, ∆T 50 K (75/65/20 °C)
③ Total height incl. electric heating element

Zehnder Kazeane

Operation on central heating system:
Wall mounting

Electric operation:

Dual energy operation:
Connection to hot water central heating system
with electric heating element (fig. with DBM)

H	=	Height
H_1	=	25 mm
L	=	Length
T	=	Depth = 30 mm
K	=	Bracket
WA	=	Wall clearance = 61 ± 3 mm
V	=	Flow ½"
R	=	Return ½"
*	=	Venting ½"
N	=	Connection centre, L - 44 mm
L_3	=	Attachment distance, L - 49 mm

Dimensions in mm

Colour system – decorative radiators for bathrooms

Zehnder

Standard

Traffic White
9016* / RAL 9016
EDI-Code: B1

Explanation

Colour name
Zehnder no./Colour standard
Zehnder EDI code

Colour category 1

For prices see the respective price tables on the product pages

Architectural

Pure White 9010* / RAL 9010 EDI-Code: B4	**Anthracite Grey** 7016* / RAL 7016 EDI-Code: AW	**Traffic Black** 9217 / RAL 9017 EDI-Code: B5	**Jet Black** 9005* / RAL 9005 EDI-Code: B3

Natural

Edelweiss 0067 EDI-Code: 67	**Cream** 9001* / RAL 9001 EDI-Code: AZ	**Pergamon** 0081* EDI-Code: AI	**Jasmin** 0072 EDI-Code: 72
Oyster White 1013* / RAL 1013 EDI-Code: AJ	**Grey White** 9002* / RAL 9002 EDI-Code: B2	**Manhattan** 0077* EDI-Code: A8	**Natura** 0035* EDI-Code: 35
Bahama 0054* EDI-Code: 54	**Chocolate Brown** 8017* / RAL 8017 EDI-Code: AY		

Tonic

Traffic Yellow 1023* / RAL 1023 EDI-Code: AL	**Flame Red** 3000* / RAL 3000 EDI-Code: AN	**Ruby Red** 3003* / RAL 3003 EDI-Code: AO

Colour category 2

Surcharge on colour category 1: 100,60 €

All other special colours in the RAL, RAL-D, NCS-S, Sanitary, DB colour systems are also available as required, surcharge on request.

Architectural

White Matt 0556 EDI-Code: DF	**White Quartz** 0521 EDI-Code: DC	**White Aluminium** 9006* EDI-Code: A7	**Titane** 0335* EDI-Code: A5
Grey Aluminium 9007* EDI-Code: A3	**Anthracite** 0346 EDI-Code: A1	**Volcanic** 0336 EDI-Code: A6	**Black Matt** 0557 EDI-Code: DG
Black Quartz 0550 EDI-Code: DD			

Natural

Chinchilla 0064 EDI-Code: 64	**Petal** 0510* EDI-Code: D2	**Sand Quartz** 0522 EDI-Code: BA	**Beige Quartz** 0523 EDI-Code: BB
Caramel Quartz 0511 EDI-Code: D3	**Terracotta Quartz** 0512 EDI-Code: D4	**Gold Look** 0514* EDI-Code: D5	**Brown Quartz** 0529 EDI-Code: BH
Dark Brown 0847 EDI-Code: BK	**Technoline** 0325 EDI-Code: TL		

Tonic

Lemon 0515* EDI-Code: D6	**Orange Quartz** 0528 EDI-Code: BG	**Lichen** 8723 / NCS-S-2010-G60Y EDI-Code: BQ	**Spring Green** 0846 EDI-Code: BI
Mauve 0517* EDI-Code: D8	**Violet** 0518* EDI-Code: D9	**Strawberry** 3770 / NCS-S-2065-R20B EDI-Code: BN	**Dark Purple** 0848 EDI-Code: BL
Amethyst Quartz 0516 EDI-Code: D7	**Pacific Blue** 0519 EDI-Code: DA	**Horizon Blue** 0520* EDI-Code: DB	**Prussian Blue** 0555* EDI-Code: DE

Metal look

For prices, refer to the respective product

Stainless steel look
0332*
EDI-Code: A4

---

* These colours have a glossy finish, all others are matt.

Some colours/surfaces are only available for selected products. Please also see the notes on the respective product pages.
Special colours on request. Due to different manufacturing techniques of the original colours, deviations can occur in colour and polish.
RAL and NCS are designations from the manufacturer. The respective colour code (EDI) is set at the 9th and 10th places in the article no.

zehnder