


**zehnder**

always the  
best climate

# Zehnder Zeta

Product data sheet



Subtle elegance and clear lines. With the flat design of its horizontal tube elements, Zehnder Zeta combines form and function in the bathroom. The generous clearance between the sets of tubes makes hanging and warming towels easy. The radiator is available in white and with a high-quality chrome finish.

## Benefits

- Timeless design creates an aesthetic accent
- Generous spaces between the tubes convenient for hanging towels
- Ample spaces between tubes make cleaning easy
- Ideal for niches and small rooms thanks to its small wall clearance
- Elegant design in high-quality chrome
- Timeless design with square headers is ideal for classic bathrooms
- Replaceable flow and return makes installation flexible
- Connection options guarantee short installation times for renovations


## Special benefits for hot water operation

- Flexible installation through right and left connection options

## Special benefits for dual energy operation

- Dual energy operation through T-piece offers flexible usage
- Dual energy operation provides warm towels and comfortable rooms all year round

## Model overview



L = length

Dimensions in mm

# Zehnder Zeta

## Connection to hot water central heating system

Painted version

Model	H mm	L mm	Thermal output			
			75/65/20 °C <sup>1)</sup> Watt	70/55/24 °C Watt	55/45/24 °C Watt	55/45/20 °C Watt
<b>ZETA-PQ6-080-050</b>	800	500	322	233	143	171
<b>ZETA-PQ6-120-050</b>	1200	500	480	347	213	255
<b>ZETA-PQ6-160-050</b>	1600	500	642	465	287	343
<b>ZETA-PQ6-080-060</b>	800	600	377	274	170	202
<b>ZETA-PQ6-120-060</b>	1200	600	562	407	251	300
<b>ZETA-PQ6-160-060</b>	1600	600	642	465	287	343

Chrome-plated version

Model	H mm	L mm	Thermal output			
			75/65/20 °C <sup>1)</sup> Watt	70/55/24 °C Watt	55/45/24 °C Watt	55/45/20 °C Watt
<b>ZETA-PQ6C-080-050</b>	800	500	203	146	89	107
<b>ZETA-PQ6C-120-050</b>	1200	500	302	216	131	157
<b>ZETA-PQ6C-160-050</b>	1600	500	395	283	172	206
<b>ZETA-PQ6C-080-060</b>	800	600	235	170	104	124
<b>ZETA-PQ6C-120-060</b>	1200	600	350	252	154	184
<b>ZETA-PQ6C-160-060</b>	1600	600	457	328	199	239

H = height, L = length

1) Nominal heat output according to EN 442