

MADE IN ITALY. MADE TO EXCEL.

# NYRA

Interactive version



## STONE LOOK

### PORCELAIN TILES

Gres Porcellanato  
Grès cérame  
Feinsteinzeug  
Gres porcelánico  
Керамический гранит

### WALL TILES

Rivestimenti  
Revêtements  
Wandfliesen  
Revestimientos  
Настенная плитка



Atlas Concorde is one of the leading global brands in the production of ceramic tiles and large slabs for design and architecture. With over 50 years of history, two production plants, and numerous showroom in the capitals of international design, Atlas Concorde offers integrated and sustainable ceramic systems for floors, walls, outdoor spaces, worktops, bathroom furnishings, facades and special projects. Design your world with Atlas Concorde.

Atlas Concorde è uno dei principali brand mondiali nella produzione di superfici e grandi lastre ceramiche per il design e l'architettura. Con oltre cinquant'anni di storia, due stabilimenti produttivi, numerose showroom nelle capitali della progettazione internazionale, offriamo sistemi ceramici integrati e sostenibili per pavimenti, rivestimenti, outdoor, piani di lavoro, arredo bagno, facciate e progetti speciali. Design your world with Atlas Concorde.

[atlasconcorde.com](https://atlasconcorde.com)

# INDEX

- ◇ INSPIRATION
- ◇ DESIGN GALLERY
- ◇ SURFACE RANGE & TECHNICAL SPECIFICATIONS



Collection in collaboration  
with **Alberto Apostoli**

INDEX



INSPIRATION



DESIGN  
GALLERY



SURFACE  
RANGE &  
TECHNICAL  
SPECS



ENJOY  
THE VIDEO



INDEX



INSPIRATION



DESIGN  
GALLERY



SURFACE  
RANGE &  
TECHNICAL  
SPECS



ENJOY  
THE VIDEO



BALANCE AS PART OF OUR LIVING  
WELLNESS  
SPACES

Nyra  
Mist  
120x278 cm | 47 1/4"x109 1/2"

NATURE'S TACTILE BLEND  
TEXTURAL  
WEAVE

INDEX



INSPIRATION



DESIGN  
GALLERY



SURFACE  
RANGE &  
TECHNICAL  
SPECS



ENJOY  
THE VIDEO





**“NYRA IS A DESIGN VISION WHERE MATERIAL, TEXTURE AND COLOR NURTURE A SENSE OF WELL-BEING.”**

– Alberto Apostoli



Alberto Apostoli is a leading figure in wellness architecture, known for iconic projects such as Lefay Resort & SPA Dolomiti, Casa Cipriani Milano, the SPA of Four Seasons Hotel in Moscow, the Tavan Jargal Resort in Mongolia, the FAAS Anti-aging Medical Center in China, and the Shin Rin SPA in New York. His studio collaborates with international clients including Four Seasons, Hilton, Marriott, Mandarin Oriental, and Jacuzzi, applying a holistic and multidisciplinary design approach that merges space, emotion, and well-being. From the very beginning, this vision became an integral part of Atlas Concorde’s creative journey. It evolved into a close and immersive collaboration: Apostoli contributed to shaping Nyra’s identity, defining textures, three-dimensional decors, color palette, and the environments where the collection comes to life. Nyra is the outcome of this shared approach: a collection that doesn’t replicate nature, but interprets it, offering a more sensorial, human, and conscious vision of ceramic stone.

INDEX



INSPIRATION



DESIGN GALLERY



SURFACE RANGE & TECHNICAL SPECS



ENJOY THE VIDEO



INDEX



INSPIRATION



DESIGN  
GALLERY



SURFACE  
RANGE &  
TECHNICAL  
SPECS



ENJOY  
THE VIDEO



WHEN INDOOR FOLDS INTO OUTDOOR  
SENSORY  
CONTINUITY

STAR

Inspiration

INDEX



HAY

INSPIRATION



SUNLIGHT

COLOR DRAWN FROM NATURE  
NATURAL TONES

DESIGN GALLERY



MIST

METEOR

SURFACE RANGE & TECHNICAL SPECS



CHARCOAL

AMBROSIA

ENJOY THE VIDEO



# One Space

the Atlas Concorde ceramic ecosystem

IMMERSIVE EXPERIENCES TO FEEL  
**PURE LIVING**

INDEX



INSPIRATION



DESIGN GALLERY



SURFACE RANGE & TECHNICAL SPECS



ENJOY THE VIDEO





# Design Gallery

↔ Kitchen with Terrace



↔ Home Studio



↔ Villa



↔ Home Bathroom



↔ Spa Resort



↔ Hotel Suite



↔ Fitness Area



## DESIGN GALLERY



- KITCHEN WITH TERRACE
- HOME STUDIO
- VILLA
- HOME BATHROOM
- SPA RESORT
- HOTEL SUITE
- FITNESS AREA

## SURFACE RANGE & TECHNICAL SPECS



Spaces designed by

**studio apostoli**  
wellness creators through architecture

ENJOY THE VIDEO





# KITCHEN WITH TERRACE

WALL  
Nyra  
Favus Star  
Matte  
30x26 cm | 15<sup>3</sup>/<sub>4</sub>"x10<sup>1</sup>/<sub>4</sub>"



**HOME IS A PLACE WHERE PORCELAIN SURFACES ELEVATE THE RHYTHM OF DAILY RITUALS**



INDEX



INSPIRATION



DESIGN GALLERY



KITCHEN WITH TERRACE  
HOME STUDIO  
VILLA  
HOME BATHROOM  
SPA RESORT  
HOTEL SUITE  
FITNESS AREA

SURFACE RANGE & TECHNICAL SPECS



ENJOY THE VIDEO



INDEX



INSPIRATION



DESIGN GALLERY



KITCHEN WITH TERRACE  
 HOME STUDIO  
 VILLA  
 HOME BATHROOM  
 SPA RESORT  
 HOTEL SUITE  
 FITNESS AREA

SURFACE RANGE & TECHNICAL SPECS



ENJOY THE VIDEO



FLOOR

Nyra Star  
 Matte Sensitech  
 120x240 cm | 47<sup>1</sup>/<sub>4</sub>"x94<sup>1</sup>/<sub>2</sub>"

OUTDOOR FLOOR

Nyra Star  
 Outdoor Sensitech ✕ 20 mm  
 120x120 cm | 47<sup>1</sup>/<sub>4</sub>"x47<sup>1</sup>/<sub>4</sub>"

WALL

Nyra Star  
 Matte  
 120x278 cm | 47<sup>1</sup>/<sub>4</sub>"x109<sup>1</sup>/<sub>2</sub>"

Nyra Favus Star  
 Matte  
 30x26 cm | 15<sup>3</sup>/<sub>8</sub>"x10<sup>1</sup>/<sub>4</sub>"

FURNITURE

Nyra Star  
 Matte  
 120x278 cm | 47<sup>1</sup>/<sub>4</sub>"x109<sup>1</sup>/<sub>2</sub>"

COUNTERTOP

Atlas Plan Nyra Mist  
 Hammered  
 162x324 cm | 63<sup>5</sup>/<sub>8</sub>"x127"

DINING TABLE | INCONTRO 75

Atlas Concorde Habitat Calacatta Gold  
 Polished  
 240x100 cm | 94<sup>1</sup>/<sub>2</sub>"x39<sup>1</sup>/<sub>3</sub>"

SIDE TABLE | TRATTO - GIOTTO

Atlas Concorde Habitat Nyra Ambrosia - Boost Vision Camel  
 Hammered  
 Ø 45 cm | 17<sup>2</sup>/<sub>4</sub>" - Ø 65 cm | 25<sup>5</sup>/<sub>8</sub>"



FLOOR

**Nyra Star**  
Matte Sensitech  
120x240 cm | 47<sup>1</sup>/<sub>4</sub>"x94<sup>1</sup>/<sub>2</sub>"

FURNITURE

**Nyra Star**  
Matte  
120x278 cm | 47<sup>1</sup>/<sub>4</sub>"x109<sup>1</sup>/<sub>2</sub>"

COUNTERTOP

**Atlas Plan Nyra Mist**  
Hammered  
162x324 cm | 63<sup>5</sup>/<sub>8</sub>"x127"

TRAY | TRATTO - DISCO

**Atlas Concorde Habitat Nyra Ambrosia - Boost Vision Camel**  
Hammered  
Ø 25 cm | 9<sup>7</sup>/<sub>8</sub>"



INDEX



INSPIRATION



DESIGN GALLERY



KITCHEN WITH TERRACE  
HOME STUDIO  
VILLA  
HOME BATHROOM  
SPA RESORT  
HOTEL SUITE  
FITNESS AREA

SURFACE RANGE & TECHNICAL SPECS



ENJOY THE VIDEO





FLOOR

**Nyra Star**  
Matte Sensitech  
120x240 cm | 47<sup>1</sup>/<sub>4</sub>"x94<sup>1</sup>/<sub>2</sub>"

FURNITURE

**Nyra Star**  
Matte  
120x278 cm | 47<sup>1</sup>/<sub>4</sub>"x109<sup>1</sup>/<sub>2</sub>"

COUNTERTOP

**Atlas Plan Nyra Mist**  
Hammered  
162x324 cm | 63<sup>5</sup>/<sub>8</sub>"x127"

DINING TABLE | INCONTRO 75

**Atlas Concorde Habitat Calacatta Gold**  
Polished  
240x100 cm | 94<sup>1</sup>/<sub>2</sub>"x39<sup>4</sup>/<sub>3</sub>"



INDEX



INSPIRATION



DESIGN GALLERY



KITCHEN WITH TERRACE  
HOME STUDIO  
VILLA  
HOME BATHROOM  
SPA RESORT  
HOTEL SUITE  
FITNESS AREA

SURFACE RANGE & TECHNICAL SPECS



ENJOY THE VIDEO



INDEX



INSPIRATION



DESIGN GALLERY



KITCHEN WITH TERRACE

HOME STUDIO  
VILLA  
HOME BATHROOM  
SPA RESORT  
HOTEL SUITE  
FITNESS AREA

SURFACE RANGE & TECHNICAL SPECS



ENJOY THE VIDEO



OUTDOOR FLOOR

Nyra  
Star  
Outdoor Sensitech ✕ 20 mm  
120x120 cm | 47<sup>1</sup>/<sub>4</sub>"x47<sup>1</sup>/<sub>4</sub>"

FACADE

Nyra  
Star  
Matte  
120x278 cm | 47<sup>1</sup>/<sub>4</sub>"x109<sup>1</sup>/<sub>2</sub>"

BENCH | TRATTO - ARCO

Atlas Concorde Habitat  
Nyra Mist  
Hammered  
150x42x42 cm | 59"x16<sup>1</sup>/<sub>2</sub>"x16<sup>1</sup>/<sub>2</sub>"

SIDE TABLE | TRATTO - GIOTTO

Atlas Concorde Habitat  
Nyra Ambrosia - Boost Vision Camel  
Hammered  
Ø 45 cm | 17<sup>3</sup>/<sub>4</sub>" - Ø 65 cm | 25<sup>5</sup>/<sub>8</sub>"



INDEX



INSPIRATION



DESIGN GALLERY



KITCHEN WITH TERRACE  
HOME STUDIO  
VILLA  
HOME BATHROOM  
SPA RESORT  
HOTEL SUITE  
FITNESS AREA

SURFACE RANGE & TECHNICAL SPECS



ENJOY THE VIDEO



OUTDOOR FLOOR

**Nyra Star**

Outdoor Sensitech ✕ 20 mm  
120x120 cm | 47<sup>1</sup>/<sub>4</sub>"x47<sup>1</sup>/<sub>4</sub>"

**Nyra Star Bordo Piscina**

Outdoor Sensitech ✕ 20 mm  
30x60 cm | 11<sup>3</sup>/<sub>4</sub>"x23<sup>5</sup>/<sub>8</sub>"

SIDE TABLE | TRATTO - GIOTTO

**Atlas Concorde Habitat Nyra Ambrosia - Boost Vision Camel**

Hammered  
Ø 45 cm | 17<sup>3</sup>/<sub>4</sub>" - Ø 65 cm | 25<sup>5</sup>/<sub>8</sub>"

TRAY | TRATTO - QUADRO

**Atlas Concorde Habitat Cristallo Root**

Polished - Silk  
25x25 cm | 9<sup>7</sup>/<sub>8</sub>"x9<sup>7</sup>/<sub>8</sub>"



# HOME STUDIO

WALL  
Nyra  
Sunlight  
Matte  
120x278 cm | 47 1/4"x109 1/2"



**WHERE THE MIND UNWINDS,  
TEXTURES AND MATERIALS SHAPE  
SPACES OF STILLNESS AND FOCUS.**



INDEX



INSPIRATION



DESIGN GALLERY



KITCHEN WITH TERRACE  
HOME STUDIO  
VILLA  
HOME BATHROOM  
SPA RESORT  
HOTEL SUITE  
FITNESS AREA

SURFACE RANGE & TECHNICAL SPECS



ENJOY THE VIDEO



INDEX



INSPIRATION



DESIGN GALLERY



KITCHEN WITH TERRACE  
HOME STUDIO  
VILLA  
HOME BATHROOM  
SPA RESORT  
HOTEL SUITE  
FITNESS AREA

SURFACE RANGE & TECHNICAL SPECS



ENJOY THE VIDEO



FLOOR

Nyra Sunlight  
Matte Sensitech  
120x120 cm | 47<sup>1</sup>/<sub>4</sub>"x47<sup>1</sup>/<sub>4</sub>"

OUTDOOR FLOOR

Nyra Sunlight  
Grip Sensitech  
60x120 cm | 23<sup>5</sup>/<sub>8</sub>"x47<sup>1</sup>/<sub>4</sub>"

WALL

Nyra Opus Sunlight  
Matte  
32x32 cm | 12<sup>5</sup>/<sub>8</sub>"x12<sup>5</sup>/<sub>8</sub>"

Nyra Sunlight  
Matte  
120x278 cm | 47<sup>1</sup>/<sub>4</sub>"x109<sup>1</sup>/<sub>2</sub>"

Log Icon Oak Matt  
Matte  
120x278 cm | 47<sup>1</sup>/<sub>4</sub>"x109<sup>1</sup>/<sub>2</sub>"

BENCH | TRATTO - ARCO

Atlas Concorde Habitat Boost Icor Dune  
Hammered  
150x42x42 cm | 59"x16<sup>1</sup>/<sub>2</sub>"x16<sup>1</sup>/<sub>2</sub>"

STORAGE UNIT | TRATTO - ELLE

Atlas Concorde Habitat Boost Icor Dune  
Hammered  
90x30x77 cm | 35<sup>1</sup>/<sub>2</sub>"x11<sup>3</sup>/<sub>4</sub>"x30<sup>1</sup>/<sub>4</sub>"

INDEX



INSPIRATION



DESIGN GALLERY



KITCHEN WITH TERRACE  
HOME STUDIO  
VILLA  
HOME BATHROOM  
SPA RESORT  
HOTEL SUITE  
FITNESS AREA

SURFACE RANGE & TECHNICAL SPECS



ENJOY THE VIDEO



FLOOR  
**Nyra Sunlight**  
Matte Sensitech  
120x120 cm | 47<sup>1</sup>/<sub>4</sub>"x47<sup>1</sup>/<sub>4</sub>"

WALL  
**Nyra Opus Sunlight**  
Matte  
32x32 cm | 12<sup>5</sup>/<sub>8</sub>"x12<sup>5</sup>/<sub>8</sub>"

**Nyra Sunlight**  
Matte  
120x278 cm | 47<sup>1</sup>/<sub>4</sub>"x109<sup>1</sup>/<sub>2</sub>"

**Log Icon Oak Matt**  
Matte  
120x278 cm | 47<sup>1</sup>/<sub>4</sub>"x109<sup>1</sup>/<sub>2</sub>"

WORKTOP  
**Nyra Ambrosia**  
Hammered  
162x324 cm | 63<sup>5</sup>/<sub>8</sub>"x127"

INDOOR FLOOR

**Nyra Sunlight**

Matte Sensitech  
120x120 cm | 47<sup>1</sup>/<sub>4</sub>"x47<sup>1</sup>/<sub>4</sub>"

OUTDOOR FLOOR

**Nyra Sunlight**

Grip Sensitech  
60x120 cm | 23<sup>5</sup>/<sub>8</sub>"x47<sup>1</sup>/<sub>4</sub>"

SIDE TABLE | TRATTO - GIOTTO

**Atlas Concorde Habitat Nyra Ambrosia - Boost Vision Camel**

Hammered  
Ø 45 cm | 17<sup>3</sup>/<sub>4</sub>" - Ø 65 cm | 25<sup>5</sup>/<sub>8</sub>"

TRAY | TRATTO - DISCO

**Atlas Concorde Habitat Nyra Ambrosia - Boost Vision Camel**

Hammered  
Ø 25 cm | 9<sup>7</sup>/<sub>8</sub>"



INDEX



INSPIRATION



DESIGN GALLERY



KITCHEN WITH TERRACE  
HOME STUDIO  
VILLA  
HOME BATHROOM  
SPA RESORT  
HOTEL SUITE  
FITNESS AREA

SURFACE RANGE & TECHNICAL SPECS




ENJOY THE VIDEO





# VILLA

WALL  
Nyra  
Star  
Matte Sensitech  
60x120 cm | 23 5/8" x 47 1/4"



**WELL-BEING FLOWS THROUGH SPACES  
WHERE DESIGN DISSOLVES THE LINES  
BETWEEN INSIDE AND OUT.**



INDEX



INSPIRATION



DESIGN  
GALLERY



KITCHEN WITH TERRACE  
HOME STUDIO

VILLA  
HOME BATHROOM  
SPA RESORT  
HOTEL SUITE  
FITNESS AREA

SURFACE  
RANGE &  
TECHNICAL  
SPECS



ENJOY  
THE VIDEO



INDEX



INSPIRATION



DESIGN GALLERY



KITCHEN WITH TERRACE  
HOME STUDIO  
VILLA  
HOME BATHROOM  
SPA RESORT  
HOTEL SUITE  
FITNESS AREA

SURFACE RANGE & TECHNICAL SPECS



ENJOY THE VIDEO



OUTDOOR FLOOR

Nyra  
Mist  
Outdoor Sensitech ✕ 20 mm  
60x120 cm | 23<sup>5</sup>/<sub>8</sub>"x47<sup>1</sup>/<sub>4</sub>"

Nyra  
Mist Bordo Piscina  
Outdoor Sensitech ✕ 20 mm  
30x60 cm | 11<sup>3</sup>/<sub>4</sub>"x23<sup>5</sup>/<sub>8</sub>"

FACADE

Nyra  
Star  
Matte  
120x278 cm | 47<sup>1</sup>/<sub>4</sub>"x109<sup>1</sup>/<sub>2</sub>"

Nyra  
Star  
Matte Sensitech  
60x120 cm | 23<sup>5</sup>/<sub>8</sub>"x47<sup>1</sup>/<sub>4</sub>"

BENCH | TRATTO - ARCO

Atlas Concorde Habitat  
Nyra Mist  
Hammered  
150x42x42 cm | 59"x16<sup>1</sup>/<sub>2</sub>"x16<sup>1</sup>/<sub>2</sub>"



OUTDOOR FLOOR

**Nyra  
Mist**

Outdoor Sensitech  $\pm$  20 mm  
60x120 cm | 23<sup>5</sup>/<sub>8</sub>"x47<sup>1</sup>/<sub>4</sub>"

INDOOR WALL

**Nyra  
3D Qube Star**

Matte  
50x120 cm | 19<sup>5</sup>/<sub>8</sub>"x47<sup>1</sup>/<sub>4</sub>"

SIDE TABLE | TRATTO - GIOTTO

**Atlas Concorde Habitat  
Fior di Bosco**

Polished - Silk  
Ø 45 cm | 17<sup>3</sup>/<sub>4</sub>" - Ø 120 cm | 47<sup>1</sup>/<sub>2</sub>"

TRAY | TRATTO - DISCO

**Atlas Concorde Habitat  
Fior di Bosco**

Polished - Silk  
Ø 25 cm | 9<sup>7</sup>/<sub>8</sub>"



INDEX



INSPIRATION



DESIGN  
GALLERY



KITCHEN WITH TERRACE  
HOME STUDIO

VILLA  
HOME BATHROOM  
SPA RESORT  
HOTEL SUITE  
FITNESS AREA

SURFACE  
RANGE &  
TECHNICAL  
SPECS



ENJOY  
THE VIDEO



INDEX



INSPIRATION



DESIGN GALLERY



KITCHEN WITH TERRACE  
HOME STUDIO  
VILLA  
HOME BATHROOM  
SPA RESORT  
HOTEL SUITE  
FITNESS AREA

SURFACE RANGE & TECHNICAL SPECS



ENJOY THE VIDEO



FLOOR

Nyra  
Mist  
Matte Sensitech  
60x120 cm | 23<sup>5</sup>/<sub>8</sub>" x 47<sup>1</sup>/<sub>4</sub>"

WALL

Nyra  
Mist  
Matte  
120x278 cm | 47<sup>1</sup>/<sub>4</sub>" x 109<sup>1</sup>/<sub>2</sub>"

Nyra  
3D Qube Star  
Matte  
50x120 cm | 19<sup>5</sup>/<sub>8</sub>" x 47<sup>1</sup>/<sub>4</sub>"

STORAGE UNIT | TRATTO - ELLE

Atlas Concorde Habitat  
Nyra Mist  
Hammered  
90x30x77 cm | 35<sup>1</sup>/<sub>2</sub>" x 11<sup>3</sup>/<sub>4</sub>" x 30<sup>1</sup>/<sub>4</sub>"

STORAGE UNIT | TRATTO - TORRE

Atlas Concorde Habitat  
Nyra Mist  
Hammered  
30x30x120 cm | 11<sup>3</sup>/<sub>4</sub>" x 11<sup>3</sup>/<sub>4</sub>" x 47<sup>1</sup>/<sub>4</sub>"

SIDE TABLE | TRATTO - GIOTTO

Atlas Concorde Habitat  
Fior di Bosco  
Polished - Silk  
Ø 45 cm | 17<sup>2</sup>/<sub>4</sub>" - Ø 65 cm | 25<sup>5</sup>/<sub>8</sub>"

TRAY | TRATTO - DISCO

Atlas Concorde Habitat  
Fior di Bosco  
Polished - Silk  
Ø 25 cm | 9<sup>7</sup>/<sub>8</sub>"

INDEX



INSPIRATION



DESIGN GALLERY



KITCHEN WITH TERRACE  
HOME STUDIO

VILLA  
HOME BATHROOM  
SPA RESORT  
HOTEL SUITE  
FITNESS AREA

SURFACE RANGE & TECHNICAL SPECS



ENJOY THE VIDEO



FLOOR

Nyra  
Mist

Matte Sensitech  
60x120 cm | 23<sup>5</sup>/<sub>8</sub>"x47<sup>1</sup>/<sub>4</sub>"

OUTDOOR FLOOR

Nyra  
Mist

Outdoor Sensitech  $\pm$  20 mm  
60x120 cm | 23<sup>5</sup>/<sub>8</sub>"x47<sup>1</sup>/<sub>4</sub>"



WALL

Nyra  
Mist

Matte  
120x278 cm | 47<sup>1</sup>/<sub>4</sub>"x109<sup>1</sup>/<sub>2</sub>"

STORAGE UNIT | TRATTO - ELLE

Atlas Concorde Habitat  
Nyra Mist

Hammered  
90x30x77 cm | 35<sup>1</sup>/<sub>2</sub>"x11<sup>3</sup>/<sub>4</sub>"x30<sup>1</sup>/<sub>4</sub>"

STORAGE UNIT | TRATTO - TORRE

Atlas Concorde Habitat  
Nyra Mist

Hammered  
30x30x120 cm | 11<sup>3</sup>/<sub>4</sub>"x11<sup>3</sup>/<sub>4</sub>"x47<sup>1</sup>/<sub>4</sub>"

FLOOR

**Nyra  
Mist**  
Matte Sensitech  
60x120 cm | 23<sup>5</sup>/<sub>8</sub>"x47<sup>1</sup>/<sub>4</sub>"

WALL

**Nyra  
3D Qube Star**  
Matte  
50x120 cm | 19<sup>5</sup>/<sub>8</sub>"x47<sup>1</sup>/<sub>4</sub>"

SIDE TABLE | TRATTO - GIOTTO

**Atlas Concorde Habitat  
Fior di Bosco**  
Polished - Silk  
Ø 45 cm | 17<sup>3</sup>/<sub>4</sub>" - Ø 65 cm | 25<sup>5</sup>/<sub>8</sub>"



INDEX



INSPIRATION



DESIGN  
GALLERY



KITCHEN WITH TERRACE  
HOME STUDIO  
VILLA  
HOME BATHROOM  
SPA RESORT  
HOTEL SUITE  
FITNESS AREA

SURFACE  
RANGE &  
TECHNICAL  
SPECS



ENJOY  
THE VIDEO



# HOME BATHROOM

WALL  
Nyra  
3D Saddle Hay  
Matte  
40x80 cm | 15<sup>3</sup>/<sub>4</sub>"x31<sup>1</sup>/<sub>2</sub>"

INDEX



INSPIRATION



DESIGN GALLERY



KITCHEN WITH TERRACE  
HOME STUDIO  
VILLA  
HOME BATHROOM  
SPA RESORT  
HOTEL SUITE  
FITNESS AREA

SURFACE RANGE & TECHNICAL SPECS



ENJOY THE VIDEO



**AN INTIMATE SPACE WHERE SURFACES FEEL LIKE SKIN, WELCOMING THE RITUALS OF SELF-CARE.**



INDEX



INSPIRATION



DESIGN GALLERY



KITCHEN WITH TERRACE  
HOME STUDIO  
VILLA  
HOME BATHROOM  
SPA RESORT  
HOTEL SUITE  
FITNESS AREA

SURFACE RANGE & TECHNICAL SPECS



ENJOY THE VIDEO



FLOOR

Nyra  
Hay  
Matte Sensitech  
80x80 cm | 31<sup>1</sup>/<sub>2</sub>"x31<sup>1</sup>/<sub>2</sub>"

Log  
Icon Oak  
Matte Sensitech  
20x120 cm | 7<sup>7</sup>/<sub>8</sub>"x47<sup>1</sup>/<sub>4</sub>"

OUTDOOR FLOOR

Log  
Icon Oak Deck  
Outdoor Sensitech ✕ 20 mm  
60x120 cm | 23<sup>3</sup>/<sub>8</sub>"x47<sup>1</sup>/<sub>4</sub>"

WALL

Atlas Plan Nyra  
Hay  
Hammered  
160x320 cm | 63"x126"

Nyra  
Field Hay  
Matte  
40x80 cm | 15<sup>3</sup>/<sub>4</sub>"x31<sup>1</sup>/<sub>2</sub>"

Nyra  
3D Saddle Hay  
Matte  
40x80 cm | 15<sup>3</sup>/<sub>4</sub>"x31<sup>1</sup>/<sub>2</sub>"

SHOWER WALL

Atlas Plan Nyra  
Hay  
Hammered  
160x320 cm | 63"x126"

SINK | ARMONIA

Atlas Concorde Habitat  
Atlas Plan Nyra Hay  
Hammered  
162x324 cm | 63<sup>5</sup>/<sub>8</sub>"x127"

STORAGE UNIT | TRATTO - TORRE

Atlas Concorde Habitat  
Nyra Hay  
Matte  
30x15x90 cm | 11<sup>3</sup>/<sub>4</sub>"x5<sup>7</sup>/<sub>8</sub>"x35<sup>1</sup>/<sub>2</sub>"



FLOOR  
**Nyra Hay**  
Matte Sensitech  
80x80 cm | 31<sup>1</sup>/<sub>2</sub>"x31<sup>1</sup>/<sub>2</sub>"

WALL  
**Nyra 3D Saddle Hay**  
Matte  
40x80 cm | 15<sup>3</sup>/<sub>4</sub>"x31<sup>1</sup>/<sub>2</sub>"

SHOWER WALL  
**Atlas Plan Nyra Hay**  
Hammered  
160x320 cm | 63"x126"

SINK | ARMONIA  
**Atlas Concorde Habitat Atlas Plan Nyra Hay**  
Hammered  
162x324 cm | 63<sup>5</sup>/<sub>8</sub>"x127"

SHELF | TRATTO - OMEGA  
**Atlas Concorde Habitat Nyra Hay**  
Matte  
90x12x10 cm | 35<sup>1</sup>/<sub>2</sub>"x4<sup>3</sup>/<sub>4</sub>" x3<sup>7</sup>/<sub>8</sub>"



INDEX



INSPIRATION



DESIGN GALLERY



KITCHEN WITH TERRACE  
HOME STUDIO  
VILLA  
HOME BATHROOM  
SPA RESORT  
HOTEL SUITE  
FITNESS AREA

SURFACE RANGE & TECHNICAL SPECS



ENJOY THE VIDEO



INDEX



INSPIRATION



DESIGN GALLERY



KITCHEN WITH TERRACE  
HOME STUDIO  
VILLA  
HOME BATHROOM  
SPA RESORT  
HOTEL SUITE  
FITNESS AREA

SURFACE RANGE & TECHNICAL SPECS



ENJOY THE VIDEO



FLOOR

**Nyra Hay**  
Matte Sensitech  
80x80 cm | 31<sup>1</sup>/<sub>2</sub>"x31<sup>1</sup>/<sub>2</sub>"

**Log Icon Oak**  
Matte Sensitech  
20x120 cm | 7<sup>7</sup>/<sub>8</sub>"x47<sup>1</sup>/<sub>4</sub>"

WALL

**Nyra Hay**  
Hammered  
160x320 cm | 63"x126"

**Nyra Field Hay**  
Matte  
40x80 cm | 15<sup>3</sup>/<sub>4</sub>"x31<sup>1</sup>/<sub>2</sub>"



FLOOR  
**Nyra**  
**Hay**  
Matte Sensitech  
80x80 cm | 31<sup>1</sup>/<sub>2</sub>"x31<sup>1</sup>/<sub>2</sub>"



INDEX



INSPIRATION



DESIGN  
GALLERY



KITCHEN WITH TERRACE  
HOME STUDIO  
VILLA

HOME BATHROOM  
SPA RESORT  
HOTEL SUITE  
FITNESS AREA

SURFACE  
RANGE &  
TECHNICAL  
SPECS



ENJOY  
THE VIDEO



# SPA RESORT

WALL  
Nyra  
Ambrosia  
Matte  
120x278 cm | 47 1/4"x109 1/2"



**DESIGN BEYOND AESTHETICS,  
EMBODIED IN CERAMICS  
THAT RESTORE BALANCE.**



INDEX



INSPIRATION



DESIGN GALLERY



KITCHEN WITH TERRACE  
HOME STUDIO  
VILLA  
HOME BATHROOM  
SPA RESORT  
HOTEL SUITE  
FITNESS AREA

SURFACE RANGE & TECHNICAL SPECS



ENJOY THE VIDEO



INDEX



INSPIRATION




DESIGN GALLERY



- KITCHEN WITH TERRACE
- HOME STUDIO
- VILLA
- HOME BATHROOM
- SPA RESORT
- HOTEL SUITE
- FITNESS AREA

SURFACE RANGE & TECHNICAL SPECS



ENJOY THE VIDEO




FLOOR

Nyra  
Hay  
Outdoor Sensitech 20 mm  
120x120 cm | 47 1/4" x 47 1/4"

WALL

Nyra  
Ambrosia  
Matte  
120x278 cm | 47 1/4" x 109 1/2"

COLUMN

Nyra  
Opus Hay  
Matte  
32x32 cm | 12 5/8" x 12 5/8"

SIDE TABLE | TRATTO - GIOTTO

Atlas Concorde Habitat  
Nyra Ambrosia - Boost Vision Camel  
Hammered  
Ø 45 cm | 17 3/4" - Ø 65 cm | 25 5/8" - Ø 120 cm | 47 1/2"



FLOOR

**Nyra Hay**  
 Outdoor Sensitech  $\pm$  20 mm  
 120x120 cm | 47 $\frac{1}{4}$ "x47 $\frac{1}{4}$ "

WALL

**Nyra Ambrosia**  
 Matte  
 120x278 cm | 47 $\frac{1}{4}$ "x109 $\frac{1}{2}$ "

COLUMN

**Nyra Opus Hay**  
 Matte  
 32x32 cm | 12 $\frac{5}{8}$ "x12 $\frac{5}{8}$ "

SIDE TABLE | TRATTO - GIOTTO

**Atlas Concorde Habitat**  
**Nyra Ambrosia - Boost Vision Camel**  
 Hammered  
 Ø 45 cm | 17 $\frac{3}{4}$ " - Ø 65 cm | 25 $\frac{5}{8}$ " - Ø 120 cm | 47 $\frac{1}{2}$ "



INDEX



INSPIRATION



DESIGN GALLERY



KITCHEN WITH TERRACE  
 HOME STUDIO  
 VILLA  
 HOME BATHROOM  
 SPA RESORT  
 HOTEL SUITE  
 FITNESS AREA

SURFACE RANGE & TECHNICAL SPECS



ENJOY THE VIDEO





FLOOR

**Nyra Hay**  
Outdoor Sensitech  $\pm$  20 mm  
120x120 cm | 47 $\frac{1}{4}$ "x47 $\frac{1}{4}$ "

**Nyra Ambrosia**  
Matte  
120x278 cm | 47 $\frac{1}{4}$ "x109 $\frac{1}{2}$ "

WALL

**Nyra Ambrosia**  
Matte  
120x278 cm | 47 $\frac{1}{4}$ "x109 $\frac{1}{2}$ "

SIDE TABLE | TRATTO - GIOTTO

**Atlas Concorde Habitat Nyra Ambrosia - Boost Vision Camel**  
Hammered  
 $\varnothing$  45 cm | 17 $\frac{3}{4}$ " -  $\varnothing$  65 cm | 25 $\frac{5}{8}$ "



INDEX



INSPIRATION



DESIGN GALLERY



KITCHEN WITH TERRACE  
HOME STUDIO  
VILLA  
HOME BATHROOM  
SPA RESORT  
HOTEL SUITE  
FITNESS AREA

SURFACE RANGE & TECHNICAL SPECS



ENJOY THE VIDEO





KITCHEN WITH TERRACE  
HOME STUDIO  
VILLA  
HOME BATHROOM  
SPA RESORT  
HOTEL SUITE  
FITNESS AREA



OUTDOOR FLOOR

Nyra  
Hay  
Outdoor Sensitech 20 mm  
120x120 cm | 47 1/4" x 47 1/4"

Nyra  
Hay Bordo Piscina  
Outdoor Sensitech 20 mm  
30x60 cm | 11 3/4" x 23 5/8"

FACADE

Nyra  
Ambrosia  
Matte  
120x278 cm | 47 1/4" x 109 1/2"

BENCH | TRATTO - ARCO

Atlas Concorde Habitat  
Precious Brown  
Silk  
150x42x42 cm | 59" x 16 1/2" x 16 1/2"

SIDE TABLE | TRATTO - GIOTTO

Atlas Concorde Habitat  
Nyra Ambrosia - Boost Vision Camel  
Hammered  
Ø 45 cm | 17 1/4" - Ø 65 cm | 25 5/8" - Ø 120 cm | 47 1/2"



OUTDOOR FLOOR

**Nyra**  
**Hay**  
 Outdoor Sensitech 20 mm  
 120x120 cm | 47 1/4" x 47 1/4"

FACADE

**Nyra**  
**Ambrosia**  
 Matte  
 120x278 cm | 47 1/4" x 109 1/2"

SIDE TABLE | TRATTO - GIOTTO

**Atlas Concorde Habitat**  
**Nyra Ambrosia - Boost Vision Camel**  
 Hammered  
 Ø 45 cm | 17 3/4" - Ø 65 cm | 25 5/8"

FLOWER POT | TRATTO - HASHTAG

**Atlas Concorde Habitat**  
**Nyra Ambrosia**  
 Hammered  
 80x24x48 cm | 31 1/2" x 9 1/2" x 18 7/8"



INDEX



INSPIRATION



DESIGN GALLERY



KITCHEN WITH TERRACE  
 HOME STUDIO  
 VILLA  
 HOME BATHROOM  
 SPA RESORT  
 HOTEL SUITE  
 FITNESS AREA

SURFACE RANGE & TECHNICAL SPECS



ENJOY THE VIDEO



# HOTEL SUITE

WALL  
 Nyra  
 Star  
 Matte  
 120x278 cm | 47 1/4" x 109 1/2"

Nyra  
 3D Qube Star  
 Matte  
 50x120 cm | 19 5/8" x 47 1/4"



**SURFACES SHAPE WELCOMING  
 ATMOSPHERES, BRINGING FUNCTION  
 AND COMFORT TO EVERY DETAIL.**



INDEX



INSPIRATION



DESIGN GALLERY



KITCHEN WITH TERRACE  
 HOME STUDIO  
 VILLA  
 HOME BATHROOM  
 SPA RESORT  
 HOTEL SUITE  
 FITNESS AREA

SURFACE  
 RANGE &  
 TECHNICAL  
 SPECS



ENJOY  
 THE VIDEO



INDEX



INSPIRATION



DESIGN GALLERY



- KITCHEN WITH TERRACE
- HOME STUDIO
- VILLA
- HOME BATHROOM
- SPA RESORT
- HOTEL SUITE
- FITNESS AREA

SURFACE RANGE & TECHNICAL SPECS



ENJOY THE VIDEO



FLOOR

Nyra  
Charcoal  
Matte Sensitech  
120x120 cm | 47<sup>1</sup>/<sub>4</sub>"x47<sup>1</sup>/<sub>4</sub>"

WALL

Nyra  
3D Qube Star  
Matte  
50x120 cm | 19<sup>5</sup>/<sub>8</sub>"x47<sup>1</sup>/<sub>4</sub>"

Nyra  
Field Star  
Matte  
50x120 cm | 19<sup>5</sup>/<sub>8</sub>"x47<sup>1</sup>/<sub>4</sub>"

Nyra  
Star  
Matte  
120x278 cm | 47<sup>1</sup>/<sub>4</sub>"x109<sup>1</sup>/<sub>2</sub>"

FURNITURE

Nyra  
Star  
Matte  
120x278 cm | 47<sup>1</sup>/<sub>4</sub>"x109<sup>1</sup>/<sub>2</sub>"

BENCH | TRATTO - ARCO

Atlas Concorde Habitat  
Precious Brown  
Silk  
150x42x42 cm | 59"x16<sup>1</sup>/<sub>2</sub>"x16<sup>1</sup>/<sub>2</sub>"

SIDE TABLE | TRATTO - GIOTTO

Atlas Concorde Habitat  
Boost Icor Bone - Dune  
Hammered  
Ø 45 cm | 17<sup>3</sup>/<sub>4</sub>" - Ø 65 cm | 25<sup>5</sup>/<sub>8</sub>"

INDEX



INSPIRATION



DESIGN GALLERY



- KITCHEN WITH TERRACE
- HOME STUDIO
- VILLA
- HOME BATHROOM
- SPA RESORT
- HOTEL SUITE
- FITNESS AREA

SURFACE RANGE & TECHNICAL SPECS



ENJOY THE VIDEO



FLOOR

**Nyra Charcoal**  
Matte Sensitech  
120x120 cm | 47<sup>1</sup>/<sub>4</sub>"x47<sup>1</sup>/<sub>4</sub>"


WALL

**Nyra 3D Qube Star**  
Matte  
50x120 cm | 19<sup>5</sup>/<sub>8</sub>"x47<sup>1</sup>/<sub>4</sub>"

**Nyra Star**  
Matte  
120x278 cm | 47<sup>1</sup>/<sub>4</sub>"x109<sup>1</sup>/<sub>2</sub>"

BEDHEAD

**Nyra Star**  
Matte  
120x278 cm | 47<sup>1</sup>/<sub>4</sub>"x109<sup>1</sup>/<sub>2</sub>"



INDEX



INSPIRATION



DESIGN GALLERY



- KITCHEN WITH TERRACE
- HOME STUDIO
- VILLA
- HOME BATHROOM
- SPA RESORT
- HOTEL SUITE
- FITNESS AREA

SURFACE RANGE & TECHNICAL SPECS



ENJOY THE VIDEO



OUTDOOR FLOOR  
 Nyra Star  
 Outdoor Sensitech 20 mm  
 120x120 cm | 47 1/4" x 47 1/4"

FURNITURE  
 Nyra Star  
 Matte  
 120x278 cm | 47 1/4" x 109 1/2"

BENCH | TRATTO - ARCO  
 Atlas Concorde Habitat  
 Precious Brown  
 Silk  
 150x42x42 cm | 59" x 16 1/2" x 16 1/2"



^  
WALL  
Nyra  
3D Qube Star  
Matte  
50x120 cm | 19<sup>5</sup>/<sub>8</sub>"x47<sup>1</sup>/<sub>4</sub>"

>  
SINK | EVOLUZIONE  
Atlas Concorde Habitat  
Nyra Star  
Matte  
120x45x12 cm | 47<sup>1</sup>/<sub>4</sub>"x17<sup>5</sup>/<sub>8</sub>"x4<sup>3</sup>/<sub>4</sub>"

>  
SHELF | TRATTO - OMEGA  
Atlas Concorde Habitat  
Nyra Star  
Matte  
30x12x10 cm | 11<sup>3</sup>/<sub>4</sub>"x4<sup>3</sup>/<sub>4</sub>" x3<sup>7</sup>/<sub>8</sub>"



FLOOR  
Nyra  
Charcoal  
Matte Sensitech  
120x120 cm | 47<sup>1</sup>/<sub>4</sub>"x47<sup>1</sup>/<sub>4</sub>"

WALL  
Nyra  
Star  
Matte  
120x278 cm | 47<sup>1</sup>/<sub>4</sub>"x109<sup>1</sup>/<sub>2</sub>"

INDEX



INSPIRATION



DESIGN GALLERY



KITCHEN WITH TERRACE  
HOME STUDIO  
VILLA  
HOME BATHROOM  
SPA RESORT  
HOTEL SUITE  
FITNESS AREA

SURFACE RANGE & TECHNICAL SPECS



ENJOY THE VIDEO



INDEX



INSPIRATION



DESIGN GALLERY



- KITCHEN WITH TERRACE
- HOME STUDIO
- VILLA
- HOME BATHROOM
- SPA RESORT
- HOTEL SUITE
- FITNESS AREA

SURFACE RANGE & TECHNICAL SPECS



ENJOY THE VIDEO



# FITNESS AREA

SPACES SHAPED BY TEXTURES THAT SPEAK THE BODY'S LANGUAGE IN TUNE WITH ITS HARMONY.



FLOOR  
Nyra Meteor  
Matte Sensitech  
80x80 cm | 31<sup>1</sup>/<sub>2</sub>"x31<sup>1</sup>/<sub>2</sub>"

WALL  
Nyra Star  
Matte  
40x80 cm | 15<sup>3</sup>/<sub>4</sub>"x31<sup>1</sup>/<sub>2</sub>"

INDEX



INSPIRATION



DESIGN GALLERY



KITCHEN WITH TERRACE  
HOME STUDIO  
VILLA  
HOME BATHROOM  
SPA RESORT  
HOTEL SUITE  
FITNESS AREA

SURFACE RANGE & TECHNICAL SPECS



ENJOY THE VIDEO



FLOOR

Nyra  
Meteor  
Matte Sensitech  
80x80 cm | 31 1/2"x31 1/2"

WALL

Nyra  
Star  
Matte  
40x80 cm | 15 3/4"x31 1/2"

BENCH | TRATTO - ARCO

Atlas Concorde Habitat  
Precious Brown  
Silk  
150x42x42 cm | 59"x16 1/2"x16 1/2"

STORAGE UNIT | TRATTO - TORRE

Atlas Concorde Habitat  
Precious Brown  
Silk  
30x30x120 cm | 11 3/4"x11 3/4"x47 1/4"

SIDE TABLE | TRATTO - GIOTTO

Atlas Concorde Habitat  
Boost Icor Bone - Dune  
Hammered  
Ø 45 cm | 17 3/4" - Ø 65 cm | 25 5/8"



FLOOR

**Nyra Meteor**  
Matte Sensitech  
80x80 cm | 31<sup>1</sup>/<sub>2</sub>"x31<sup>1</sup>/<sub>2</sub>"

WALL

**Nyra Star**  
Matte  
40x80 cm | 15<sup>3</sup>/<sub>4</sub>"x31<sup>1</sup>/<sub>2</sub>"

**Nyra 3D Saddle Star**  
Matte  
40x80 cm | 15<sup>3</sup>/<sub>4</sub>"x31<sup>1</sup>/<sub>2</sub>"

COUNTERTOP

**Nyra Ambrosia**  
Hammered  
162x324 cm | 63<sup>5</sup>/<sub>8</sub>"x127"



INDEX



INSPIRATION



DESIGN GALLERY



KITCHEN WITH TERRACE  
HOME STUDIO  
VILLA  
HOME BATHROOM  
SPA RESORT  
HOTEL SUITE  
FITNESS AREA

SURFACE RANGE & TECHNICAL SPECS



ENJOY THE VIDEO





# SURFACE RANGE & TECHNICAL SPECIFICATIONS

- ◇ NYRA RANGE
- ◇ SENSITECH
- ◇ TECHNICAL SPECIFICATIONS
- ◇ NYRA WORLD

INDEX



INSPIRATION



DESIGN  
GALLERY



SURFACE  
RANGE &  
TECHNICAL  
SPECS



NYRA RANGE  
SENSITECH TECHNOLOGY  
TECHNICAL SPECIFICATIONS  
NYRA WORLD

ENJOY  
THE VIDEO



## Porcelain tiles

**PORCELAIN TILES** - Gres Porcellanato - Grès cérame - Feinsteinzeug - Gres porcelánico - Керамический гранит  
**RECTIFIED MONOCALIBER** - Rettificato monocalibro - Rectifié mono-calibre - Geschliffen einkalibrig - Rectificado monocalibre - Ретифицированный в одном калибре

		Star	Hay	Sunlight	Mist	Meteor	Charcoal	Ambrosia
<b>Floor</b>								
<b>Wall</b>								
<b>Bathroom furniture</b>								
160x320 cm ** - 63"x126" - ID Skin	± 6 mm		Hammered		Hammered			Hammered
120x278 cm - 47 <sup>1</sup> / <sub>4</sub> "x109 <sup>1</sup> / <sub>2</sub> " - ID Skin	± 6 mm	Matte	Matte	Matte	Matte			Matte
120x240 cm - 47 <sup>1</sup> / <sub>4</sub> "x94 <sup>1</sup> / <sub>2</sub> "	± 9 mm	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech			
75x150 cm - 29 <sup>1</sup> / <sub>2</sub> "x59"	± 9 mm	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	
120x120 cm - 47 <sup>1</sup> / <sub>4</sub> "x47 <sup>1</sup> / <sub>4</sub> "	± 9 mm	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech
60x120 cm - 23 <sup>5</sup> / <sub>8</sub> "x47 <sup>1</sup> / <sub>4</sub> "	± 9 mm	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech
80x80 cm - 31 <sup>1</sup> / <sub>2</sub> "x31 <sup>1</sup> / <sub>2</sub> "	± 9 mm	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech
60x60 cm - 23 <sup>5</sup> / <sub>8</sub> "x23 <sup>5</sup> / <sub>8</sub> "	± 9 mm	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech
30x60 cm - 11 <sup>3</sup> / <sub>4</sub> "x23 <sup>5</sup> / <sub>8</sub> "	± 9 mm	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	

Slabs for Countertops								
162x324 cm ** - 63 <sup>5</sup> / <sub>8</sub> "x127" - ID Skin	± 12 mm		Hammered		Hammered			Hammered

Outdoor								
60x120 cm - 23 <sup>5</sup> / <sub>8</sub> "x47 <sup>1</sup> / <sub>4</sub> "	± 9 mm	Grip Sensitech	Grip Sensitech	Grip Sensitech	Grip Sensitech			Grip Sensitech
60x60 cm - 23 <sup>5</sup> / <sub>8</sub> "x23 <sup>5</sup> / <sub>8</sub> "	± 9 mm		Grip Sensitech		Grip Sensitech			
30x60 cm - 11 <sup>3</sup> / <sub>4</sub> "x23 <sup>5</sup> / <sub>8</sub> "	± 9 mm	Grip Sensitech	Grip Sensitech	Grip Sensitech	Grip Sensitech			
120x120 cm - 47 <sup>1</sup> / <sub>4</sub> "x47 <sup>1</sup> / <sub>4</sub> "	± 20 mm	Outdoor Sensitech	Outdoor Sensitech	Outdoor Sensitech	Outdoor Sensitech			
60x120 cm - 23 <sup>5</sup> / <sub>8</sub> "x47 <sup>1</sup> / <sub>4</sub> "	± 20 mm	Outdoor Sensitech	Outdoor Sensitech	Outdoor Sensitech	Outdoor Sensitech			
80x80 cm - 31 <sup>1</sup> / <sub>2</sub> "x31 <sup>1</sup> / <sub>2</sub> "	± 20 mm	Outdoor Sensitech	Outdoor Sensitech	Outdoor Sensitech	Outdoor Sensitech			Outdoor Sensitech
60x60 cm - 23 <sup>5</sup> / <sub>8</sub> "x23 <sup>5</sup> / <sub>8</sub> "	± 20 mm	Outdoor Sensitech	Outdoor Sensitech	Outdoor Sensitech	Outdoor Sensitech			Outdoor Sensitech

## Wall tiles

**WALL TILES** - Rivestimenti - Revêtements - Wandfliesen - Revestimientos - Настенная плитка  
**RECTIFIED MONOCALIBER** - Rettificato monocalibro - Rectifié mono-calibre - Geschliffen einkalibrig - Rectificado monocalibre - Ретифицированный в одном калибре

		Star	Hay
<b>Wall</b>			
50x120 cm - 19 <sup>5</sup> / <sub>8</sub> "x47 <sup>1</sup> / <sub>4</sub> " Field	± 8,5 mm	Matte	Matte
40x80 cm - 15 <sup>3</sup> / <sub>4</sub> "x31 <sup>1</sup> / <sub>2</sub> " Field	± 8,5 mm	Matte	Matte
50x120 cm - 19 <sup>5</sup> / <sub>8</sub> "x47 <sup>1</sup> / <sub>4</sub> " 3D Qube	± 10 mm	Matte	Matte
40x80 cm - 15 <sup>3</sup> / <sub>4</sub> "x31 <sup>1</sup> / <sub>2</sub> " 3D Saddle	± 10 mm	Matte	Matte

### Sensitech pag.95

#### Destination of use

<b>M</b> Matte ± 6 mm	<b>H</b> Matte Sensitech ± 9 mm Grip Sensitech ± 9 mm Outdoor Sensitech ± 20 mm
-----------------------	---

#### Anti-slip

<b>R9 A</b> Matte ± 6 mm
<b>R10 A+B</b> Matte Sensitech ± 9 mm
<b>R11 C</b> Grip Sensitech ± 9 mm
<b>R11 C</b> Outdoor Sensitech ± 20 mm

#### Color-shading

**V2 Slight Variation**  
All colors

#### ID Skin

**This surface enhances the details and te fine texture of the product.**  
La superficie esalta i dettagli e la matericità del prodotto.

\*\* Atlas Plan



STAR

INDEX



HAY

INSPIRATION



SUNLIGHT

MIST

DESIGN GALLERY



METEOR

SURFACE RANGE & TECHNICAL SPECS



CHARCOAL

NYRA RANGE  
SENSITECH TECHNOLOGY  
TECHNICAL SPECIFICATIONS  
NYRA WORLD

AMBROSIA

ENJOY THE VIDEO



# 3D Saddle

DESIGN BY ALBERTO APOSTOLI

V2 Slight Variation  
All colors

**WALL TILES** - Rivestimenti - Revêtements - Wandfliesen - Revestimientos - Настенная плитка  
**RECTIFIED MONOCALIBER** - Rettificato monocalibro - Rectifié mono-calibre - Geschliffen einkalibrig - Rectificado monocalibre - Ретифицированный в одном калибре



40x80 cm  
15<sup>3</sup>/<sub>4</sub>"x31<sup>1</sup>/<sub>2</sub>"

± 10 mm



Nyra 3D Saddle Star  
40x80 cm - 15<sup>3</sup>/<sub>4</sub>"x31<sup>1</sup>/<sub>2</sub>"



Nyra 3D Saddle Hay  
40x80 cm - 15<sup>3</sup>/<sub>4</sub>"x31<sup>1</sup>/<sub>2</sub>"



# 3D Qube

DESIGN BY HBA

V2 Slight Variation  
All colors

**WALL TILES** - Rivestimenti - Revêtements - Wandfliesen - Revestimientos - Настенная плитка  
**RECTIFIED MONOCALIBER** - Rettificato monocalibro - Rectifié mono-calibre - Geschliffen einkalibrig - Rectificado monocalibre - Ретифицированный в одном калибре



50x120 cm  
19<sup>5</sup>/<sub>8</sub>"x47<sup>1</sup>/<sub>4</sub>"

± 10 mm



Nyra 3D Qube Star  
50x120 cm - 19<sup>5</sup>/<sub>8</sub>"x47<sup>1</sup>/<sub>4</sub>"



Nyra 3D Qube Hay  
50x120 cm - 19<sup>5</sup>/<sub>8</sub>"x47<sup>1</sup>/<sub>4</sub>"



INDEX




INSPIRATION



DESIGN  
GALLERY



SURFACE  
RANGE &  
TECHNICAL  
SPECS



NYRA RANGE  
SENSITECH TECHNOLOGY  
TECHNICAL SPECIFICATIONS  
NYRA WORLD


ENJOY  
THE VIDEO



# Mosaico Favus

DESIGN BY ALBERTO APOSTOLI

**PORCELAIN TILES** - Gres Porcellanato - Grès cérame - Feinsteinzeug - Gres porcelánico - Керамический гранит  
**RECTIFIED MONOCALIBER** - Rettificato monocalibro - Rectifié mono-calibre - Geschliffen einkalibrig - Rectificado monocalibre - Ретифицированный в одном калибре



**A** 30 cm - 11<sup>3</sup>/<sub>4</sub>"  
**B** 26 cm - 10<sup>1</sup>/<sub>4</sub>"

± 9 mm



V2 Slight Variation  
 All colors



Nyra Mosaico Favus Star  
 Matte  
 30x26 cm  
 11<sup>3</sup>/<sub>4</sub>"x10<sup>1</sup>/<sub>4</sub>"



Nyra Mosaico Favus Hay  
 Matte  
 30x26 cm  
 11<sup>3</sup>/<sub>4</sub>"x10<sup>1</sup>/<sub>4</sub>"



Nyra Mosaico Favus Sunlight  
 Matte  
 30x26 cm  
 11<sup>3</sup>/<sub>4</sub>"x10<sup>1</sup>/<sub>4</sub>"



Nyra Mosaico Favus Mist  
 Matte  
 30x26 cm  
 11<sup>3</sup>/<sub>4</sub>"x10<sup>1</sup>/<sub>4</sub>"



Nyra Mosaico Favus Meteor  
 Matte  
 30x26 cm  
 11<sup>3</sup>/<sub>4</sub>"x10<sup>1</sup>/<sub>4</sub>"



Nyra Mosaico Favus Charcoal  
 Matte  
 30x26 cm  
 11<sup>3</sup>/<sub>4</sub>"x10<sup>1</sup>/<sub>4</sub>"




Nyra Mosaico Favus Ambrosia  
 Matte  
 30x26 cm  
 11<sup>3</sup>/<sub>4</sub>"x10<sup>1</sup>/<sub>4</sub>"



# Mosaico Opus

DESIGN BY ALBERTO APOSTOLI

**PORCELAIN TILES** - Gres Porcellanato - Grès cérame - Feinsteinzeug - Gres porcelánico - Керамический гранит  
**RECTIFIED MONOCALIBER** - Rettificato monocalibro - Rectifié mono-calibre - Geschliffen einkalibrig - Rectificado monocalibre - Ретифицированный в одном калибре



**A** 31,9 cm - 14<sup>3</sup>/<sub>5</sub>"  
**B** 31,9 cm - 14<sup>7</sup>/<sub>8</sub>"  
**a** 3,2 cm - 1<sup>1</sup>/<sub>4</sub>"  
**b** 4,3 cm - 7<sup>3</sup>/<sub>5</sub>"

± 9 mm



V2 Slight Variation  
 All colors



Nyra Mosaico Opus Star  
 Matte  
 32x32 cm  
 12<sup>3</sup>/<sub>5</sub>"x12<sup>3</sup>/<sub>5</sub>"




Nyra Mosaico Opus Hay  
 Matte  
 32x32 cm  
 12<sup>3</sup>/<sub>5</sub>"x12<sup>3</sup>/<sub>5</sub>"




Nyra Mosaico Opus Sunlight  
 Matte  
 32x32 cm  
 12<sup>3</sup>/<sub>5</sub>"x12<sup>3</sup>/<sub>5</sub>"



Nyra Mosaico Opus Mist  
 Matte  
 32x32 cm  
 12<sup>3</sup>/<sub>5</sub>"x12<sup>3</sup>/<sub>5</sub>"



Nyra Mosaico Opus Meteor  
 Matte  
 32x32 cm  
 12<sup>3</sup>/<sub>5</sub>"x12<sup>3</sup>/<sub>5</sub>"



Nyra Mosaico Opus Charcoal  
 Matte  
 32x32 cm  
 12<sup>3</sup>/<sub>5</sub>"x12<sup>3</sup>/<sub>5</sub>"



Nyra Mosaico Opus Ambrosia  
 Matte  
 32x32 cm  
 12<sup>3</sup>/<sub>5</sub>"x12<sup>3</sup>/<sub>5</sub>"



INDEX



INSPIRATION



DESIGN GALLERY



SURFACE RANGE & TECHNICAL SPECS



NYRA RANGE  
 SENSITECH TECHNOLOGY  
 TECHNICAL SPECIFICATIONS  
 NYRA WORLD

ENJOY THE VIDEO



## Trim tiles

### Porcelain trim tiles

**Battiscopa Matte Sensitech**  
 7,2x150 cm - 2<sup>7</sup>/<sub>8</sub>"x59"  
 7,2x120 cm - 2<sup>7</sup>/<sub>8</sub>"x47<sup>1</sup>/<sub>4</sub>"  
 7,2x60 cm - 2<sup>7</sup>/<sub>8</sub>"x23<sup>5</sup>/<sub>8</sub>"  
 7,2x80 cm - 2<sup>7</sup>/<sub>8</sub>"x31<sup>1</sup>/<sub>2</sub>"

**Scalino Matte Sensitech** ✓  
 33x150 cm - 13"x59"  
 33x120 cm - 13"x47<sup>1</sup>/<sub>4</sub>"  
 33x60 cm - 13"x23<sup>5</sup>/<sub>8</sub>"

**Davanzale / Soglia** ✓  
 L max 300 cm - 118<sup>1</sup>/<sub>8</sub>"  
 D max 50 cm - 19<sup>5</sup>/<sub>8</sub>"  
 approx. 3-4 cm - 1<sup>1</sup>/<sub>8</sub>"-1<sup>5</sup>/<sub>8</sub>"  
 L1 0-5 cm - 0"-2"  
 4 cm - 1<sup>5</sup>/<sub>8</sub>"

**Gradino Matte Sensitech** ✓  
 30x120 cm - 11<sup>3</sup>/<sub>4</sub>"x47<sup>1</sup>/<sub>4</sub>"  
 30x60 cm - 11<sup>3</sup>/<sub>4</sub>"x23<sup>5</sup>/<sub>8</sub>"

**Scalino Ang. Matte Sensitech** ✓  
 33x33 cm - 13"x13"

**Elemento L Grip Sensitech**  
 33x120 cm - 13"x47<sup>1</sup>/<sub>4</sub>"

**Corner ± 9 mm** ✓  
 1x120 cm - 3<sup>3</sup>/<sub>8</sub>"x47<sup>1</sup>/<sub>4</sub>"

**Battiscopa Sagomato Sx/Dx Matte Sensitech** ✓  
 7,2x30 cm - 2<sup>7</sup>/<sub>8</sub>"x11<sup>3</sup>/<sub>4</sub>"

▼  
**Corner A.E. ± 9 mm**  
 1x1 cm - 3<sup>3</sup>/<sub>8</sub>"x3<sup>3</sup>/<sub>8</sub>"

✓ These parts are supplied to order / I pezzi sono disponibili su ordinazione

### Wall trim tiles

**Corner ± 8,5 mm \*** ✓  
 1,4x50 cm - 5<sup>5</sup>/<sub>8</sub>"x19<sup>5</sup>/<sub>8</sub>"  
 1,4x40 cm - 5<sup>5</sup>/<sub>8</sub>"x15<sup>1</sup>/<sub>4</sub>"

▼  
**Corner A.E. ± 8,5 mm** ✓  
 1,4x1,4 cm - 5<sup>5</sup>/<sub>8</sub>"x5<sup>5</sup>/<sub>8</sub>"

\* Available in / Disponibile in Star, Hay  
 ✓ These parts are supplied to order / I pezzi sono disponibili su ordinazione

### Outdoor trim tiles ± 20 mm

**Round Outdoor Sensitech SP \* ♦ ♦** ✓  
 33x120 cm - 13"x47<sup>1</sup>/<sub>4</sub>"  
 30x60 cm - 11<sup>3</sup>/<sub>4</sub>"x23<sup>5</sup>/<sub>8</sub>"  
 40x80 cm - 15<sup>3</sup>/<sub>4</sub>"x31<sup>1</sup>/<sub>2</sub>"

**Elemento L Outdoor Sensitech SP \* ♦ ♦** ✓  
 33x120 cm - 13"x47<sup>1</sup>/<sub>4</sub>"  
 33x80 cm - 13"x31<sup>1</sup>/<sub>2</sub>"  
 33x33 cm - 13"x13"

**Bordo Piscina Outdoor Sensitech \* ♦ ♦** ✓  
 30x60 cm - 11<sup>3</sup>/<sub>4</sub>"x23<sup>5</sup>/<sub>8</sub>"

**Gradino Round Outdoor Sensitech \* ♦ ♦** ✓  
 30x60 cm - 11<sup>3</sup>/<sub>4</sub>"x23<sup>5</sup>/<sub>8</sub>"

**Griglia Outdoor Sensitech \* ♦ ♦** ✓  
 15x60 cm - 5<sup>7</sup>/<sub>8</sub>"x23<sup>5</sup>/<sub>8</sub>"  
 20x60 cm - 7<sup>7</sup>/<sub>8</sub>"x23<sup>5</sup>/<sub>8</sub>"

**Smussato Outdoor Sensitech SP \* ♦** ✓  
 30x60 cm - 11<sup>3</sup>/<sub>4</sub>"x23<sup>5</sup>/<sub>8</sub>"

**Alzata Outdoor Sensitech SP \* ♦** ✓  
 20x120 cm - 7<sup>7</sup>/<sub>8</sub>"x47<sup>1</sup>/<sub>4</sub>"  
 20x80 cm - 7<sup>7</sup>/<sub>8</sub>"x31<sup>1</sup>/<sub>2</sub>"


**Curve Outdoor Sensitech SP \* ♦** ✓  
 60x60 cm - 23<sup>5</sup>/<sub>8</sub>"x23<sup>5</sup>/<sub>8</sub>"

- \* Available in / Disponibile in Star, Hay, Sunlight, Mist, Ambrosia
- ✓ These parts are supplied to order / I pezzi sono disponibili su ordinazione
- ♦ Right-left angular elements are available / Sono disponibili gli elementi angolari dx/sx


### Outdoor Porcelain tiles ± 20 mm

For further details on the 20mm thick products, related trim pieces and installation systems - in particular for recommendations and precautions during installation- please refer to the Outdoor Design section on the Atlas Concorde website or to the Outdoor Design catalogue. Per dettagli sul prodotto e sui relativi pezzi speciali in 20mm di spessore, per i sistemi di posa e, in particolare, per raccomandazioni, accorgimenti e precauzioni in fase di posa e progettazione, si raccomanda di prendere visione del catalogo Outdoor Design e della sezione Outdoor Design del sito Atlas Concorde.

# Sensitech



Traditional anti-slip surface



The innovative Sensitech Surface

Sensitech is the high-tech surface for indoor and outdoor settings created by Atlas Concorde Laboratories, patented in Europe and the United States and in Russia. The surface combines high slip resistance performance with tactile softness. With Sensitech, the meaning of surface evolves and takes on a reassuring, pleasant and practical touch, making architectural spaces more comfortable and appealing.

Sensitech è la superficie ad alto coefficiente tecnologico per gli ambienti interni ed esterni realizzata dai Laboratori Atlas Concorde, brevettata in Europa e negli stati Uniti e in Russia. La superficie coniuga elevate prestazioni di resistenza allo scivolamento ad una maggiore morbidezza tattile. Con Sensitech il significato di superficie si evolve e assume un tocco rassicurante, piacevole e pratico, rendendo gli spazi architettonici sempre più confortevoli e appaganti.



INDEX




INSPIRATION



DESIGN GALLERY



SURFACE RANGE & TECHNICAL SPECS



NYRA RANGE  
 SENSITECH TECHNOLOGY  
 TECHNICAL SPECIFICATIONS  
 NYRA WORLD

ENJOY THE VIDEO





Porcelain tiles - Rectified monocaliber

Compliant with standards EN 14411 annex G group B1a  
 Compliant with standards ISO 13006 annex G group B1a  
 Conforme alla norma EN 14411 Appendice G gruppo B1a  
 Conforme alla norma ISO 13006 Appendice G gruppo B1a

Gres porcellanato - Rettificato monocalibro

160x320 cm - 63"x126"  
 120x278 cm - 47 1/8"x109 1/2"  
 120x240 cm - 47 1/8"x94 1/2"  
 75x150 cm - 29 1/2"x59"  
 120x120 cm - 47 1/8"x47 1/8"  
 80x80 cm - 31 1/2"x31 1/2"  
 60x120 cm - 23 3/8"x47 1/8"  
 ± 9 mm  
 ± 9 mm  
 ± 9 mm  
 ± 9 mm  
 ± 9 mm  
 ± 9 mm  
 ± 9 mm

60x60 cm - 23 3/8"x23 3/8"  
 30x60 cm - 11 7/8"x23 3/8"  
 120x120 cm - 47 1/8"x47 1/8"  
 80x80 cm - 31 1/2"x31 1/2"  
 60x120 cm - 23 3/8"x47 1/8"  
 60x60 cm - 23 3/8"x23 3/8"  
 ± 9 mm  
 ± 9 mm  
 ± 20 mm  
 ± 20 mm  
 ± 20 mm  
 ± 20 mm



Wall tiles - Rectified monocaliber

Compliant with standards EN 14411 annex L group B11  
 Compliant with standards ISO 13006 annex L group B11  
 Conforme alla norma EN 14411 Appendice L gruppo B11  
 Conforme alla norma ISO 13006 Appendice L gruppo B11

Rivestimento - Rettificato monocalibro

50x120 cm - 19 1/2"x47 1/8"  
 40x80 cm - 15 7/8"x31 1/2"  
 50x120 cm - 19 1/2"x47 1/8"  
 40x80 cm - 15 7/8"x31 1/2"  
 ± 8,5 mm  
 ± 8,5 mm  
 ± 10 mm  
 ± 10 mm

Technical features Caratteristiche tecniche	Test Method Metodo di prova	Requirements for nominal size N / Requisiti per dimensione nominale N			Porcelain tiles			
		7 cm ≤ N < 15 cm (mm)	N ≥ 15 cm (%) (mm)		Matte ± 6 mm	Matte Sensitech ± 9 mm	Grip Sensitech ± 9 mm	Outdoor Sensitech ± 20 mm
Length and width Lunghezza e larghezza  Thickness Spessore  Straightness of sides Rettilinearità degli spigoli  Rectangularity (Measurement only on short edges when L/l ≥ 3) Ortogonalità (Misurazione da condurre solo sui lati corti quando L/l ≥ 3)	ISO 10545-2	± 0,9 (*) Non-rect. ± 0,4 (*) Rect.	± 0,6 (*) Non-rect. ± 0,3 (*) Rect.	± 2,0 (*) Non-rect. ± 1,0 (*) Rect.	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme
		± 0,5 (**)	± 5 (**)	± 0,5 (**)	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme
		± 0,8 (***) Non-rect. ± 0,4 (***) Rect.	± 0,5 (***) Non-rect. ± 0,3 (***) Rect.	± 1,5 (***) Non-rect. ± 0,8 (***) Rect.	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme
Surface flatness Planarità	ISO 10545-2	c.c. ± 0,8 Non-rect. c.c. ± 0,6 Rect.	c.c. ± 0,5 Non-rect. c.c. ± 0,4 Rect.	c.c. ± 2,0 Non-rect. c.c. ± 1,8 Rect.	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme
		e.c. ± 0,8 Non-rect. e.c. ± 0,6 Rect.	e.c. ± 0,5 Non-rect. e.c. ± 0,4 Rect.	e.c. ± 2,0 Non-rect. e.c. ± 1,8 Rect.	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme
		w. ± 0,8 Non-rect. w. ± 0,6 Rect.	w. ± 0,5 Non-rect. w. ± 0,4 Rect.	w. ± 2,0 Non-rect. w. ± 1,8 Rect.	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme
Water absorption (in% by mass) Massa d'acqua assorbita (come % della massa)	ISO 10545-3	E <sub>v</sub> ≤ 0,5% Individual Maximum 0,6% E <sub>v</sub> ≤ 0,5% Valore massimo singolo 0,6%			≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	≤ 0,1 %
	ASTM C373	Requirement ANSI A137.1 Water absorption max ≤ 0,5%			≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	≤ 0,5 %
Breaking strength Sforzo di rottura	ISO 10545-4	S ≥ 700N (for thickness < 7,5 mm - per spessore < 7,5 mm) S ≥ 1300N (for thickness ≥ 7,5 mm - per spessore ≥ 7,5 mm)			S ≥ 1000 N	S ≥ 1500 N	S ≥ 1500 N	S ≥ 10000 N
Modulus of rupture Resistenza alla flessione		R ≥ 35 N/mm <sup>2</sup>			R ≥ 40 N/mm <sup>2</sup>	R ≥ 40 N/mm <sup>2</sup>	R ≥ 40 N/mm <sup>2</sup>	R ≥ 45 N/mm <sup>2</sup>
Bending strength and breaking load Resistenza a flessione e al carico di rottura (4)(5)	EN 1339 Annex F	-			-	-	-	-
Impact resistance, as coefficient of restitution Resistenza all'impatto, espresso come coefficiente di restituzione	ISO 10545-5	Declared value Valore dichiarato			≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55
Resistance to deep abrasion of unglazed tiles (removed volume) Resistenza all'abrasione profonda delle piastrelle non smaltate (volume materiale asportato)	ISO 10545-6	≤ 175 mm <sup>3</sup>			≤ 150 mm <sup>3</sup>	≤ 150 mm <sup>3</sup>	≤ 150 mm <sup>3</sup>	≤ 150 mm <sup>3</sup>
Coefficient of thermal linear expansion Coefficiente di dilatazione termica lineare	ISO 10545-8	Declared value Valore dichiarato			≤ 7MK <sup>-1</sup>	≤ 7MK <sup>-1</sup>	≤ 7MK <sup>-1</sup>	≤ 7MK <sup>-1</sup>
Thermal shock resistance Resistenza agli sbalzi termici	ISO 10545-9	Pass according to EN ISO 10545-1 Test superato in accordo con ISO 10545-1			Resistant Resiste	Resistant Resiste	Resistant Resiste	Resistant Resiste
Moisture expansion (in mm/m) Dilatazione all'umidità (in mm/m)	ISO 10545-10	Declared value Valore dichiarato			≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)
Frost resistance Resistenza al gelo	ISO 10545-12	Pass according to EN ISO 10545-1 Test superato in accordo con ISO 10545-1			Resistant Resiste	Resistant Resiste	Resistant Resiste	Resistant Resiste
Bond strenght /adhesion for Cementitious Adhesives Adesione mediante trazione su adesivi cementizi	EN 12004-2	Declared value Valore dichiarato			≥ 1,0 N/mm <sup>2</sup> (Class C2 - EN 12004)	≥ 1,0 N/mm <sup>2</sup> (Class C2 - EN 12004)	≥ 1,0 N/mm <sup>2</sup> (Class C2 - EN 12004)	≥ 1,0 N/mm <sup>2</sup> (Class C2 - EN 12004)
Reaction to fire Reazione al fuoco	-	Class A1 or A1 <sub>s</sub> Classe A1 oppure A1 <sub>s</sub>			A1 - A1 <sub>s</sub>	A1 - A1 <sub>s</sub>	A1 - A1 <sub>s</sub>	A1 - A1 <sub>s</sub>
Resistance to household chemicals and swimming pool salts Resistenza ai prodotti chimici di uso domestico e agli additivi per piscina		Minimum Class B Classe minima B			A	A	A	A
Resistance to low concentrations of acids and alkalis Resistenza a basse concentrazioni di acidi e alcali	ISO 10545-13	Declared Class Classe dichiarata			LA	LA	LA	LA
Resistance to high concentrations of acids and alkalis Resistenza ad alte concentrazioni di acidi e alcali		Declared Class Classe dichiarata			HA	HA	HA	HA
Resistance to staining for unglazed tiles Resistenza alle macchie per piastrelle non smaltate	ISO 10545-14	Declared Class Classe dichiarata			5	5	5	5
Shood Ramp Test Metodo della rampa "calzato"	DIN EN 16165 ANNEX B (EX DIN 5130)	Declared value Valore dichiarato			R9	R10	R11	R11
Barefoot Ramp Test Metodo della rampa a piedi nudi	DIN EN 16165 ANNEX A (EX DIN 51097)	Declared value Valore dichiarato			A	A+B	A+B+C	A+B+C
Pendulum Friction Test Metodo del Pendolo	BS EN 16165 ANNEX C (EX BS 7976)	PTV ≥ 36 classifies the surface as "low slip risk"			(*)	≥ 36 Dry ≥ 36 Wet	≥ 36 Dry ≥ 36 Wet	≥ 36 Dry ≥ 36 Wet
	AS 4586	Declared Classification of the new pedestrian surface materials according to the Pendulum Test			(**)	Class P3	Class P4	Class P4
	UNE EN 16165 ANNEX C (EX UNE 41901 EX2077)	Declared value Valore dichiarato			(***)	Class C2	Class C3	Class C3
Coefficient of friction (COF) Coefficiente di attrito	B.C.R.A. Rep. CEC/81	D.M. 236/89 del 14/06/89 μ > 0,40 per elemento scivolante cuoio su pavimentazione asciutta μ > 0,40 per elemento scivolante gomma dura su pavimentazione bagnata			> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato
Dynamic coefficient of friction (DCOF) Coefficiente di attrito dinamico	ANSI A 326,3	-			dry DCOF ≥ 0,42	wet DCOF ≥ 0,50	wet DCOF ≥ 0,55	wet DCOF ≥ 0,55

(\*) The permissible deviation, in % or mm, of the average size for each tile (2 or 4 sides) from work size (WS). Deviazione ammissibile, in % oppure mm, della dimensione media di ogni piastrella (2 oppure 4 lati) dalla dimensione di fabbricazione (WS).  
 (\*\*) The permissible deviation, in % or mm, of the average thickness for each tile from the work size thickness (WS). Deviazione ammissibile, in % oppure mm, dello spessore medio di ogni piastrella dallo spessore riportato nella dimensione di fabbricazione (WS).  
 (\*\*\*) The maximum permissible deviation from straightness, in % or mm, related to the corresponding work sizes (WS). Deviazione massima ammissibile di rettilineità, in % oppure mm, in rapporto alle dimensioni di fabbricazione (WS) corrispondenti.  
 (\*\*\*\*) The maximum permissible deviation from rectangularity, in % or mm, related to the corresponding work sizes (WS). Deviazione massima ammissibile di ortogonalità, in % oppure mm, in rapporto alle dimensioni di fabbricazione (WS) corrispondenti.  
 (v) The maximum permissible deviation from centre curvature, in % or mm, related to diagonal calculated from the work sizes (WS). Deviazione massima ammissibile della curvatura del centro, in % oppure mm, in rapporto alla diagonale calcolata secondo le dimensioni di fabbricazione (WS).  
 (e) The maximum permissible deviation from edge curvature, in % or mm, related to the corresponding work sizes (WS). Deviazione massima ammissibile della curvatura dello spigolo, in % oppure mm, in rapporto alle dimensioni di fabbricazione (WS) corrispondenti.  
 (w) The maximum permissible deviation from warpage, in % or mm, related to diagonal calculated from the work sizes (WS). Deviazione massima ammissibile dello sverglamento, in % oppure mm, in rapporto alla diagonale calcolata secondo le dimensioni di fabbricazione (WS).  
 (1) Determination of slip resistance of pedestrian surfaces; it does not cover sports surfaces and road surfaces for vehicles (skid resistance). Determinazione della resistenza allo scivolamento delle superfici pedonabili; non si applica alle pavimentazioni sportive ed alle pavimentazioni stradali veicolari.  
 (2) Anti-slip performance is guaranteed at the time of delivery of the product. Le prestazioni anti-slip vengono garantite al momento della consegna del prodotto.  
 (4) For further details, please refer to outdoor design general catalogue. Per maggiori informazioni riferirsi al catalogo generale Outdoor Design.  
 (5) Only for products with 20 mm thickness. Solo per prodotti a 20mm di spessore.  
 (e) PTV ≥ 36 Wet on demand / su richiesta (\*\*) P3 on demand / su richiesta (\*\*\* C2 on demand / su richiesta

Technical features Caratteristiche tecniche	Test Method Metodo di prova	Requirements for nominal size N / Requisiti per dimensione nominale N			Wall tiles	
		7 cm ≤ N < 15 cm (mm)	N ≥ 15 cm (%) (mm)			
Length and width Lunghezza e larghezza  Thickness Spessore  Straightness of sides Rettilinearità degli spigoli  Rectangularity (Measurement only on short edges when L/l ≥ 3) Ortogonalità (Misurazione da condurre solo sui lati corti quando L/l ≥ 3)	ISO 10545-2	± 0,4 (*) Rect.	± 0,3 (*) Rect.	± 1,0 (*) Rect.	Suitable for Conforme	
		± 0,5 (**)	± 10 (**)	± 0,5 (**)	Suitable for Conforme	
		± 0,4 (***) Rect.	± 0,3 (***) Rect.	± 0,8 (***) Rect.	Suitable for Conforme	
Surface flatness Planarità	ISO 10545-2	± 0,4 (****) Rect.	± 0,3 (****) Rect.	± 1,5 (****) Rect.	Suitable for Conforme	
		c.c. ± 0,6 Rect.	c.c. ± 0,4 Rect.	c.c. ± 1,8 Rect.	Suitable for Conforme	
		e.c. ± 0,6 Rect.	e.c. ± 0,4 Rect.	e.c. ± 1,8 Rect.	Suitable for Conforme	
Water absorption (in% by mass) Massa d'acqua assorbita (come % della massa)	ISO 10545-3	Average >10%. When the average > 20%, this shall be indicated. Individual value > 9% Media >10%. Se questo valore > 20%, deve essere indicato. Valore Singolo > 9%			10% < E <sub>v</sub> ≤ 20%	
	ASTM C373	Requirement ANSI A137.1 Water absorption max ≤ 0,5%				
Breaking strength Sforzo di rottura	ISO 10545-4	S ≥ 600 N			S ≥ 600 N	
Modulus of rupture Resistenza alla flessione		R ≥ 15 N/mm <sup>2</sup>			R ≥ 15 N/mm <sup>2</sup>	
Coefficient of thermal linear expansion Coefficiente di dilatazione termica lineare	ISO 10545-8	Declared value Valore dichiarato			≤ 7MK <sup>-1</sup>	
Thermal shock resistance Resistenza agli sbalzi termici	ISO 10545-9	Pass according to EN ISO 10545-1 Test superato in accordo con ISO 10545-1			Resistant Resiste	
Moisture expansion (in mm/m) Dilatazione all'umidità (in mm/m)	ISO 10545-10	Declared value Valore dichiarato			≤ 0,06% (0,6mm/m)	
Crazing resistance Resistenza al cavillo	ISO 10545-11	Pass according to EN ISO 10545-1 Test superato in accordo con ISO 10545-1			Resistant Resiste	
Bond strenght /adhesion for Cementitious Adhesives Adesione mediante trazione su adesivi cementizi	EN 12004-2	Declared value Valore dichiarato			≥ 1,0 N/mm <sup>2</sup> (Class C2 - EN 12004)	
Reaction to fire Reazione al fuoco	-	Class A1 Classe A1			A1	
Resistance to household chemicals and swimming pool salts Resistenza ai prodotti chimici di uso domestico e agli additivi per piscina		Minimum Class B Classe minima B			A	
Resistance to low concentrations of acids and alkalis Resistenza a basse concentrazioni di acidi e alcali	ISO 10545-13	Declared Class Classe dichiarata			LA	
Resistance to high concentrations of acids and alkalis Resistenza ad alte concentrazioni di acidi e alcali		Declared Class Classe dichiarata			HA	
Resistance to staining, for unglazed tiles Resistenza alle macchie per piastrelle non smaltate	ISO 10545-14	Minimum Class 3 Classe 3 minima			5	
Release of dangerous substances: Cadmium (in mg/dm <sup>2</sup> ) and Lead (in mg/dm <sup>2</sup> ) Rilascio di sostanze pericolose: Cadmio (in mg/dm <sup>2</sup> ) e Piombo (in mg/dm <sup>2</sup> )	ISO 10545-15	Declared value Valore dichiarato			≤ 0,01 mg/dm <sup>2</sup> Cd ≤ 0,1 mg/dm <sup>2</sup> Pb	

(\*) The permissible deviation, in % or mm, of the average size for each tile (2 or 4 sides) from work size (WS). Deviazione ammissibile, in % oppure mm, della dimensione media di ogni piastrella (2 oppure 4 lati) dalla dimensione di fabbricazione (WS).  
 (\*\*) The permissible deviation, in % or mm, of the average thickness for each tile from the work size thickness (WS). Deviazione ammissibile, in % oppure mm, dello spessore medio di ogni piastrella dallo spessore riportato nella dimensione di fabbricazione (WS).  
 (\*\*\*) The maximum permissible deviation from straightness, in % or mm, related to the corresponding work sizes (WS). Deviazione massima ammissibile di rettilineità, in % oppure mm, in rapporto alle dimensioni di fabbricazione (WS) corrispondenti.  
 (\*\*\*\*) The maximum permissible deviation from rectangularity, in % or mm, related to the corresponding work sizes (WS). Deviazione massima ammissibile di ortogonalità, in % oppure mm, in rapporto alle dimensioni di fabbricazione (WS) corrispondenti.  
 (v) The maximum permissible deviation from centre curvature, in % or mm, related to diagonal calculated from the work sizes (WS). Deviazione massima ammissibile della curvatura del centro, in % oppure mm, in rapporto alla diagonale calcolata secondo le dimensioni di fabbricazione (WS).  
 (e) The maximum permissible deviation from edge curvature, in % or mm, related to the corresponding work sizes (WS). Deviazione massima ammissibile della curvatura dello spigolo, in % oppure mm, in rapporto alle dimensioni di fabbricazione (WS) corrispondenti.  
 (w) The maximum permissible deviation from warpage, in % or mm, related to diagonal calculated from the work sizes (WS). Deviazione massima ammissibile dello sverglamento, in % oppure mm, in rapporto alla diagonale calcolata secondo le dimensioni di fabbricazione (WS).

Note

For information and details relating to codes, packaging and weight it is recommended to refer to the latest pricelist. - Per le informazioni e i dati relativi a codici, imballaggi e pesi occorre sempre consultare l'ultimo listino aggiornato e in vigore. - Pour toutes informations et renseignements concernant les codes, les emballages et les poids, il y a toujours lieu de consulter le dernier tarif en vigueur et mis à jour. - Für Informationen und Daten die den Code, die Verpackung und das Gewicht betreffen bitte die aktuellste Preisliste zugrunde legen. - Para acceder a la información y a los datos relativos a códigos, embalajes y pesos hay que consultar siempre la última lista de precios actualizada y vigente. - Для информации о кодах, упаковках и весе обращайтесь к последнему действующему прайс-листу.

Colors and optical features of the materials illustrated in this catalogue are to be regarded as mere indications. - I colori e le caratteristiche estetiche dei materiali illustrati nel presente catalogo sono da ritenersi puramente indicativi. - Les coloris et les caractéristiques esthétiques des références illustrées dans le catalogue sont donnés à titre purement indicatif. -Die Farben und die ästhetischen Eigenschaften der in diesem Katalog abgebildeten Produkte sind als reine Richtwerte zu betrachten. - Los colores y las características estéticas de los materiales ilustrados en el presente catálogo deben ser considerados como puramente indicativos. - Цвета и эстетические характеристики описанных в настоящем каталоге материалов являются только ориентировочными.

Atlas Concorde reserves the right to modify any product without notice and will not be liable for any direct or indirect damage resulting from such modifications. - Atlas Concorde si riserva di modificare i prodotti senza preavviso, declinando ogni responsabilità su eventuali danni diretti o indiretti derivanti da eventuali modifiche. - Atlas Concorde se réserve le droit de modifier ses produits sans préavis et décline toute responsabilité concernant les éventuels dommages directs ou indirects qui pourraient dériver de ces modifications. - Atlas Concorde behält sich das Recht vor jederzeit und ohne vorherige Ankündigung, die Produkte zu verändern, und lehnt jede Haftung bei direkten oder indirekten Schäden ab, die von diesen Veränderungen herrühren. - Atlas Concorde se reserva el derecho de modificar los productos sin previo aviso, rechaza cualquier responsabilidad sobre eventuales daños directos o indirectos derivados de eventuales modificaciones. - Atlas Concorde оставляет за собой право изменять характеристики изделий без предварительного уведомления, отклоняя при этом любую ответственность за прямые или косвенные убытки, возникшие в результате изменений.

Furniture in combination with Atlas Concorde surfaces


atlasconcorde.com >  
ATLAS CONCORDE HABITAT 

## Bathroom Furniture


Custom Elements

### Essenza


**MONO**  
Single Sink




**DUO**  
Twin Sink




**UP**  
Sit-on basin



**BLOCK**  
Free-Standing



**LEVEL**  
Top




### Evoluzione

**MONO**  
Single Sink



**DUO**  
Twin Sink




**BLOCK**  
Free-standing




### Dialogo

**Designer Sinks**  
Single




**Designer Sinks**  
Twin




### Armonia

**Single drawer**




**Twin drawer**




## Tables


**BROOKLYN 75**  
Dining Tables




**BROOKLYN 25**  
Coffee Tables



**INCONTRO 75**  
Dining Tables




**INCONTRO 25**  
Coffee Tables




**CONTATTO**  
Side Table



**MANHATTAN**  
Hospitality Tables



**COSMOPOLITAN**  
Hospitality Tables




## Signature Objects


BY PIERO LISSONI

### Tratto


**LIBRA**  
T-Frame




**ELLE**  
L-Frame




**TORRE**  
Wall I-Frame




**TORRE**  
Ground I-Frame




**TORRE**  
Slim Wall I-Frame



**LINEA**  
T-Shelf



**OMEGA**  
U-Shelf




**GIOTTO**  
Side Table



**HASHTAG**  
Flower Pot



**ARCO**  
Bench



**QUADRO - 3D QUADRO**  
Tray



**DISCO - 3D DISCO**  
Tray



**FILO**  
Serving Board



**TRAMA**  
Centerpiece



# NYRAWORLD



Stone and thought  
in perfect balance.

DISCOVER  
NYRA WORLD



## Ethical identity



For Atlas Concorde, being Made in Italy is not just a prestigious certification of style, design, and production excellence, but an identity that involves all aspects of its business. For this reason, we identify with the values expressed by Confindustria Ceramica's ethical code, which guarantee absolute compliance with labor regulations, and with the marks Made in Italy and Ceramics of Italy, which certify the quality of authentic Italian style.


Per Atlas Concorde, Made in Italy non è solo un prestigioso attestato di stile, design ed eccellenza produttiva, ma un modo di essere che coinvolge tutti gli aspetti della propria attività. Per questo ci riconosciamo nei valori espressi dal codice etico di Confindustria Ceramica, che garantiscono il rispetto assoluto delle normative sul lavoro, e nei marchi Made in Italy e Ceramics of Italy, che certificano la qualità dell'autentico stile italiano.

## Certifications

### Company certifications / Certificazioni aziendali




### Product certifications / Certificazioni di prodotto



### Product declarations / Dichiarazioni di prodotto



### Certification for buildings / Rating dell'edificio



### Certifications for export to international markets\*



### Ratings and memberships



\* Shipments can be made in accordance with national requirements anywhere in the world, even in markets with complex customs procedures such as Egypt, Morocco and Kurdistan, thanks to our active cooperation with accredited certification bodies in each country. - Possibilità di spedizioni conformi alle prescrizioni nazionali ovunque nel mondo, anche in mercati con procedure doganali complesse come Egitto, Marocco, Kurdistan, grazie alla collaborazione sempre attiva con gli enti di certificazione accreditati in ciascun paese. - Dank unserer aktiven Zusammenarbeit mit den akkreditierten Zertifizierungsstellen in den einzelnen Ländern können die Sendungen in Übereinstimmung mit den nationalen Anforderungen überall auf der Welt versandt werden, selbst auf Märkten mit komplexen Zollverfahren wie Ägypten, Marokko und Kurdistan. - Possibilité d'expéditions conformes aux prescriptions nationales partout dans le monde, même sur les marchés dont les procédures douanières sont complexes comme l'Égypte, le Maroc ou le Kurdistan, grâce à la collaboration toujours active avec les organismes de certification homologués dans chaque pays. - Se pueden realizar envíos según la normativa nacional a cualquier parte del mundo, incluso a mercados con procedimientos aduaneros complejos como Egipto, Marruecos o Kurdistan, gracias a la cooperación permanente con los organismos de certificación acreditados en cada país. - Компания имеет возможность осуществлять поставки в любую точку мира в соответствии с национальными требованиями, даже на рынках со сложными таможенными процедурами, таких как Египет, Марокко, Курдистан, благодаря неизменно активному сотрудничеству с аккредитованными органами сертификации в каждой стране.

<sup>(1)</sup> Classificazione UPEC aggiornata al - Classement UPEC mis à jour au: 2024

<sup>(2)</sup> Si consiglia la consultazione della pagina - On vous conseille de vous connecter à: <https://database.cstb.fr/holderdetails?UId=ETB-2094&AppRef=QB32>

<sup>(3)</sup> Per ulteriori informazioni scrivere a - Pour tous renseignements complémentaires merci d'écrire à: [france@atlasconcorde.it](mailto:france@atlasconcorde.it)

<sup>(4)</sup> Tutti i prodotti Atlas Concorde in gres porcellanato e in monocottura in pasta bianca possono essere utilizzati per progetti edilizi che seguono le linee guida del GREEN BUILDING COUNCIL e possono contribuire all'ottenimento del rating LEED V4 degli edifici.

All Atlas Concorde porcelain tiles and white-body single-fired products can be used for building projects that follow the guidelines of the GREEN BUILDING COUNCIL and can contribute to the achievement of the LEED V4 rating for buildings.

INDEX




INSPIRATION



DESIGN  
GALLERY



SURFACE  
RANGE &  
TECHNICAL  
SPECS



NYRA RANGE  
SENTECH TECHNOLOGY  
TECHNICAL SPECIFICATIONS  
NYRA WORLD

ENJOY  
THE VIDEO





[atlasconcorde.com](https://atlasconcorde.com)

Copyright 2025 by Ceramiche Atlas Concorde S.p.A  
(41042 Spezzano di Fiorano (MO) - Italia)  
September 2025